



Office DEPOT® OfficeMax®

Taylor
CORPORATION

Notary Reference Guide

Alabama
Alaska
Arizona
Arkansas
California
Colorado
Connecticut
Delaware
District of Columbia
Florida
Georgia
Guam
Hawaii
Idaho

Illinois
Indiana
Iowa
Kansas
Kentucky
Louisiana
Maine
Maryland
Massachusetts
Michigan
Minnesota
Mississippi
Missouri
Montana

Nebraska
Nevada
New Hampshire
New Jersey
New Mexico
New York
North Carolina
North Dakota
Northern Marina Islands
Ohio
Oklahoma
Oregon
Pennsylvania
Puerto Rico

Republic of Palau
Rhode Island
South Carolina
South Dakota
Tennessee
Texas
Utah
Vermont
Virginia
Virgin Islands
Washington
West Virginia
Wisconsin
Wyoming

Notary Reference Guide

The Notary Reference Guide was created to provide you with your state's requirements, restrictions, and options for notary items. Each state has individual notary stamp and embosser requirements specific to their state, and therefore a "one size fits all" program does not exist.

It is imperative that you and your customer select a product that meets state specifications. It is recommended that you become familiar with the stamp and embosser products specific to your own state.

- States may alter their notary requirements at any given time, so be aware that this document will be updated throughout the year to reflect any imposed changes.
- Orders will be typeset per the state's specification.

Before You Begin...Required Documentation

Following the Notary Reference Guide, Certification Requirement column, determine what documentation is required for the requested state. There are four categories of required documentation:

- Original: The original notary certificate is required
- Copy: A photocopy of the original certificate is required
- Vendor Required: Though this state does not require an original or copied certificate, Taylor requires a photocopied original per company policy.
- Not Available: A notary stamp and/or embosser is part of this state's Notary Public application process, and therefore a certificate is unavailable and not required.

Note: New and updated certificate originals or photocopies must be provided with each subsequent notary order.

Next, using personal identification (driver's license or state ID), verify that the customer placing the order is the customer whose name appears on the certificate.

If an individual is ordering a stamp on behalf of the certificate holder, the individual must provide appropriate certification obtained from the certificate holder. In an effort to avoid fraud, we strongly recommend obtaining proof of permission and a photocopy of the certificate holder's driver's license or state ID.

Choosing a Notary Stamp or Notary Embosser

The Notary Reference Guide provides the applicable notary stamp and/or notary embosser for each state (see Available Item Numbers column). Please note that there are 13 specific notary stamp Item Numbers from which to choose. It is unnecessary to add an upcharge or additional fee to the customer's notary stamp purchase.

For those states offering multiple size options, work closely with your customers to determine which stamp and/or embosser will best meet their needs (pre-inked vs. self-inking, round vs. rectangle)

Once a notary stamp and/or embosser have been selected, write the notary Item Number on the manual form with the other required information. Following the processing steps shown below, email or mail the order form and any required documents to the appropriate location indicated.

- Original: Obtain the customer's original certificate and send it with the order to:
Taylor Strategic Accounts
1650 Tower Boulevard
North Mankato, MN 56003
- Copy: Make a photocopy of the original certificate and fax it, along with the order, to: 866-286-5418
- Vendor Required: Make a photocopy of the original certificate and fax it, along with the order, to: 866-286-5418
- Not Available: Since a certificate is not available, simply fax the order to: 866-286-5418

Notary Questions

If you have any questions regarding notary stamps and embossers, please contact Customer Care at 800-535-5870

TAYLOR DEFINITIONS & POLICIES

Color Key

The color of the text shown in the images signifies whether the information is required to appear on the seal per state law, or is optional. Black text represents required information. Blue text represents information that is commonly used on the seal, but that is not required.

Certificate Requirements

Most states require vendors who produce notary stamps and embossers to obtain certificates before processing the order. If states ask for an 'Original', you must obtain the original notary certificate before the order can be processed. States that request a 'Copy' require that we obtain a photocopy of the original certificate before processing the order. A 'Vendor Required' listing means that the state does not require the vendor to obtain an original or copy of the certificate before the order is processed, but per Taylor policy we will request a photocopied original certificate. Certificate requirements defined as 'Not Available' require their notaries to have a stamp made as part of their application process in becoming a notary; therefore a certificate is unavailable and not required.

Size Requirements

Some states require their notary seals to be an exact size, or within a range of specified dimensions. If the state has any size requirements, they will be listed in the Size Requirements column. "Min." refers to the minimum size the seal can appear, while "Max" indicates the maximum size the seal can appear. "Exact" requires that the seal appear at the exact size shown. If there are no requirements, the column will read "None".

Color Requirements

Depending on individual states, there may be a specified ink color requirement for a notary seal. This information can be found in the Color Requirements column. States that do not have a color requirement will read "None". If a color is not selected on the order form, Cosco will default to black unless the state has a specific color requirement.

Border Requirements

Borders will be applied as necessary to meet requirements of individual states. If the border column states "Not Required", there is no specific requirement and borders are optional. The note "Required - Any Style" indicates that the state requires a border chosen from the selection on the next page. Please indicate any border preference by adding a comment to the Special Instructions area of the order form.

State Notes & Recommendations


This column has additional information that may be required to process a notary order correctly.

Border Options


Milled Edge Border



Milled Edge Border




Milled Edge Border




Milled Edge Border




Rope Edge Border



Rope Edge Border




Rope Edge Border




Rope Edge Border




Rope Edge Border




Common Graphics



Solid Edge Border



Solid Edge Border



Serrated Edge Border



Solid Edge Border




2000 PLUS®

Self-Inking Stamps

SKU# 184315 *(Notary)*




SKU# 184329 *(Notary)*



SKU# 184322 *(Notary)*



SKU# 184343 *(Notary)*



SKU# 873890 *(Notary)*





Pre-Inked Stamps

SKU# 184245 *(Notary)*




SKU# 184203 *(Notary)*



SKU# 184210 *(Notary)*



SKU# 669552 *(Notary)*



SKU# 184238 *(Notary)*



SKU# 402543 *(Notary)*





Pre-Inked Stamps

SKU# 470145 *(Notary)*




SKU# 471690 *(Notary)*



SKU# 471470 *(Notary)*




SKU# 471855 *(Notary)*




Embossers


SKU# 633361




SKU# 633381




SKU# 220651




SKU# 220661



SKU# 633371







SKU# 633401





Notary Change Log				
Date	State	Stamp/Embosser	Seal Type	Description of Update

[illegible]

AlabamaAL		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary		Vendor Required (Registration Notification Card, Bond or Pink Slip)	Exactly: 1 5/8 inches (1.625)	None	Required: As Shown	1. "MY COMMISSION EXPIRES 00-00-0000" is optional 2. Can read "COUNTY, ALABAMA" instead of "ALABAMA STATE AT LARGE"	184343	633381 633361
Embosser or Stamp								
Round Notary		Vendor Required (Registration Notification Card, Bond or Pink Slip)	Exactly: 1 5/8 inches (1.625)	None	Required: As Shown	1. "MY COMMISSION EXPIRES 00-00-0000" is optional 2. Can read "COUNTY, ALABAMA" instead of "ALABAMA STATE AT LARGE"	184343	633381 633361
Embosser or Stamp								
Licensed Professional Engineer		Vendor Required (Registration Notification Card)	Min: 1 5/8 inches (1.625) Max: 2 inches (2.00)	None	Required		184343	633381 633361
Embosser or Stamp								
Licensed Professional Land Surveyor		Vendor Required (Registration Notification Card)	Min: 1 5/8 inches (1.625) Max: 2 inches (2.00)	None	Required		184343	633381 633361 220661 220651
Embosser or Stamp								
Registered Architect		Vendor Required (Registration Notification Card)	Exactly: 2 inches (2.00)	None	Required	1. "CITY, STATE" is optional	184343	220661 220651
Embosser or Stamp								

AlabamaAL		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Landscape Architect		Vendor Required (Registration Notification Card)	Exactly: 2 inches (2.00)	None	Required: As Shown	1. Outer border needs to be 2" round and 1/16" thick 2. Inner border needs to be 1-1/4" round and 1/16" thick	184343	220661 220651
Embosser or Stamp								
Registered Weighmaster Seal		Not Available	None	None	Required: As Shown		184343	220661 220651
Embosser or Stamp								

Alaska		AK	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Round Notary		Vendor Required	Max: 2 inches (2.00)	None	Required	1. An embossed seal may be used as a stand alone seal ONLY if it is photographically reproducible 2. "MY COMMISSION EXPIRES" is optional	669552 184343	633381 633361	
Rectangle Notary		Vendor Required	Max: 1 x 2-1/2 inches (1.00 x 2.50)	None	Required: As Shown	1. An embossed seal may be used as a stand alone seal ONLY if it is photographically reproducible 2. "MY COMMISSION EXPIRES" is optional	184315 184245 184329 184238 184210 184322	633371 633401	
Registered Professional Architect		Vendor Required	Max: 2 inches (2.00)	None	Required: As Shown		669552 184343	633381 633361 220661 220651	
Registered Professional Engineer		Vendor Required	Max: 2 inches (2.00)	None	Required: As Shown		669552 184343	633381 633361 220661 220651	
Registered Professional Land Surveyor		Vendor Required	Max: 2 inches (2.00)	None	Required: As Shown		669552 184343	633381 633361 220661 220651	

Alaska		AK	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Registered Professional Landscape Architect		Vendor Required	Max: 2 inches (2.00)	None	Required: As Shown		669552 184343	633381 633361 220661 220651	
Embosser or Stamp									

Additional Brand Identification Codes:

A 2-letter code appears in front of the license number for engineer stamps and embossers

Chemical Engineer.....EC


Civil Engineer.....CE

Electrical Engineer.....EE



Mechanical Engineer.....ME

Mining Engineer.....EM


Petroleum Engineer.....EP

Arizona		AZ	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Round Notary Stamp Only		Copy	Max: 1-1/2 inches (1.50)	1. Must use a dark ink 2. Red ink is unacceptable	Required		669552 184343		
Rectangle Notary Stamp Only		Copy	Max: 1-1/2 x 2-1/2 (1.50 x 2.50)	1. Must use a dark ink 2. Red ink is unacceptable	Required		184315 184245 184329 184203 184210 184238 184322		
Rectangle Notary Stamp Only		Copy	Max: 1-1/2 x 2-1/2 (1.50 x 2.50)	1. Must use a dark ink 2. Red ink is unacceptable	Required: As Shown		184315 184245 184329 184203 184210 184238 184322		
Registered Professional Engineer Embosser or Stamp		Copy	Exactly: 1-1/2 inches (1.50)	None	Required: As Shown	1. Outer border needs to be 1-1/2" round and 1/16" thick 2. Inner Border needs to be 1-1/8" round and 1/16" thick	669552 184343	633381 633361	
		Agriculture Architectural Chemical Civil Control Systems Electrical	Environmental Fired Protection Geological Industrial Mechanical Mining	Metallurgical Nuclear Petroleum Sanitary Structural					


Arizona Updated: 1-2015		AZ	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
								Stamps	Embossers
Registered Architect		Copy	Exactly: 1-1/2 inches (1.50)	None	Required: As Shown	1. Outer border needs to be 1-1/2" round and 1/16" thick 2. Inner Border needs to be 1-1/8" round and 1/16" thick	669552 184343		
		Landscape Architect Assayer Land Surveyor Geologist							


ArkansasAR		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary		Vendor Required	None	None	Not Required	1. An embossed seal may be used only if it is photographically reproducible 2. Great Seal is not allowed 3. Notary will not have a Comm. # if the effective date is before 2006	669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Rectangle Notary		Vendor Required	None	None	Not Required	1. An embossed seal may be used only if it is photographically reproducible 2. Great Seal is not allowed 3. Notary will not have a Comm. # if the effective date is before 2006	184245 184329 184238 184210 184322	633371 633401
Embosser or Stamp								
Licensed Professional Engineer		Vendor Required	Max: 1-1/4 to 2 inches (1.25 to 2.00)	None	Required: Milled edges or Concentric circles		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Registered Professional Surveyor		Vendor Required	Max: 1-1/4 to 2 inches (1.25 to 2.00)	None	Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Corporate Registration		Vendor Required	Max: 1-1/4 to 2 inches (1.25 to 2.00)	None	Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								

ArkansasAR		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Real Estate Appraiser		Vendor Required	Max: 1-1/2 inches (1.50)	None	Required		669552 184343	633381 633361
Embosser or Stamp								
Registered Architect		Vendor Required	Max: 1-1/2 inches (1.50)	None	Required: As Shown	1. Required: Name and Registration Number	669552 184343	633381 633361
Embosser or Stamp								



California CA		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary		Original	Max: 2 inches (2.00)	None	Required: As Shown	1. An embossed seal may only be used in conjunction with a rubber stamp seal	669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Rectangle Notary		Original	Max: 1 x 2-1/2 inches (1.00 x 2.50)	None	Required: As Shown	1. An embossed seal may only be used in conjunction with a rubber stamp seal	184315 184245 184329 184203 184210 184238 184322	633371 633401
Embosser or Stamp								
Licensed Architect		Copy	Min: 1 inch (1.00) Max: 2 inches (2.00)	None	Required: As Shown	1. Wording "Registered Architect" is not allowed	669552 184343	
Stamp Only								
Licensed Architect		Copy	Min: 1 inch (1.00) Max: 2 inches (2.00)	None	Required: As Shown	1. Wording "Registered Architect" is not allowed	669552 184343	
Stamp Only								
Registered Professional Engineer		Copy	Min: 1-1/2 inches (1.50)	None	Required: As Shown	1. Wording can read: A. Professional Engineer B. Registered Professional Engineer C. Licensed Professional Engineer	669552 184343	633381 633361 220661 220651
Embosser or Stamp								


California CA		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Licensed Land Surveyor		Copy	Min: 1-1/2 inches (1.50)	None	Required: As Shown	1. "EXP. 00-00-0000" is optional	669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Registered Environmental Assessor		Copy	Min: 1-1/2 inches (1.50)	None	Required: As Shown		669552 184343	
Stamp Only								
Registered Environmental Assessor		Copy	Min: 1-1/2 inches (1.50)	None	Required: As Shown		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Registered Professional Geologist		Copy	Min: 1-1/2 inches (1.50)	None	Required: As Shown		669552 184343	633381 633361 220661 220651
Embosser or Stamp								




Colorado CO		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Rectangle Notary	NAME NOTARY PUBLIC STATE OF COLORADO NOTARY ID 0000000000 MY COMMISSION EXPIRES MONTH 00, 0000	Copy	None	None	Required	1. Must be spelled out: MY COMMISSION EXPIRES MONTH DATE, YEAR 2. As of Aug 8, 2012, embossers will no longer be used	184315	
Stamp Only							184245	
Licensed Architect		Copy	Exactly: 2 inches (2.00)	None	Required		669552 184343	220661 220651
Professional Engineer		Copy	Exactly: 1-5/8 inches (1.625)	None	Required		184343	633381 633361
Registered Professional Land Surveyor		Copy	Exactly: 1-5/8 inches (1.625)	None	Required		184343	633381 633361
Licensed Landscape Architect		Copy	Exactly: 2 inches (2.00)	None	Required: As Shown	1. Inner circle must be exactly 1 inch in diameter 2. The words "Original Date of Licensure" must appear (not an actual date)	184343	220661 220651
Embosser or Stamp								



Connecticut CT		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary Embosser Only		Vendor Required	None	None	Not Required	1. "My Commission Expires 00-00-00" is optional		633381 633361 220661 220651
Round Notary Stamp Only		Vendor Required	None	None	Not Required	1. "My Commission Expires 00-00-00" is optional	669552 184343	
Rectangle Notary Embosser or Stamp		Vendor Required	None	None	Not Required	1. "MY COMMISSION EXPIRES (DATE)" is optional	184210 184329	633371 633401
Licensed Architect Embosser or Stamp		Vendor Required	Max: 1-1/2 inches (1.50)	None	Required		669552 184343	633381 633361
Professional Engineer Embosser or Stamp		Vendor Required	Max: 1-1/2 inches (1.50)	None	Required		669552 184343	633381 633361




Connecticut CT		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Land Surveyor		Vendor Required	Max: 1-1/2 inches (1.50)	None	Required: As Shown		669552 184343	633381 633361
Embosser or Stamp								
Environmental Professional		Vendor Required	Exactly: 1-5/8 inches (1.625)	None	Required: As Shown			633381 633361
Embosser Only								


Delaware		DE	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Round Notary		Vendor Required	None	Black Ink	Not Required		669552 184343	633381 633361 220661 220651	
Embosser or Stamp									
Rectangle Notary		Vendor Required	None	Black Ink	Not Required		184245 184329 184210 184238 184322	633371 633401	
Embosser or Stamp									
Professional Engineer		Vendor Not Required	None	None	Required		669552 184343	633381 633361 220661 220651	
Embosser or Stamp									
Registered Landscape Architect		Vendor Not Required	Max: 1-1/2 inches (1.50)	None	Required: As Shown		669552 184343	633381 633361	
Embosser or Stamp									
Registered Architect		Vendor Not Required	Max: 1-1/2 inches (1.50)	None	Required: As Shown		669552 184343	633381 633361	
Embosser or Stamp									


Delaware DE		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Professional Land Surveyor		Vendor Required	Outer Border: 1-1/2 inches (1.50) Inner Border: 1 inch (1.00)	Red Only	Required			633381 633361
Embosser Only								
Registered Professional Geologist		Vendor Required	Min: 1-1/2 inches (1.50)	None	Required: As Shown		669552 184343	633381 633361 220661 220651
Embosser or Stamp								


District of Columbia DC Updated: 1-2015		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
							Stamps	Embossers
Round Notary Embosser Only		Not Available	Max: 1-3/4 inches (1.75)	None	Required	1. Commissioned on or after 12/15/10, must obtain an embosser that complies with statutes		633381 633361 220661 220651
Registered Professional Engineer Embosser or Stamp		Not Available	Max: 1-3/4 inches (1.75)	None	Required		669552 184343	633381 633361 220661 220651
Licensed Land Surveyor Embosser or Stamp		Not Available	Max: 1-3/4 inches (1.75)	None	Required		669552 184343	633381 633361 220661 220651
Registered Architect Embosser or Stamp		Not Available	Min: 1-1/2 inches (1.50) Max: 1-3/4 inches (1.75)	None	Required		669552 184343	633381 633361 220661 220651
Licensed Interior Designer Embosser or Stamp		Not Available	Min: 1-1/2 inches (1.50) Max: 1-3/4 inches (1.75)	None	Required: As Shown		669552 184343	633381 633361 220661 220651


FloridaFL		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary Stamp Only		Vendor Required	None	Black Ink	Not Required		669552 184343	
Rectangle Notary Stamp Only	Name Notary Public State of Florida My Commission Expires 00/00/000 Commission No. 12345 	Vendor Required	None	Black Ink	Not Required	1. Symbol to the left of text is optional	184315 184245 184329 184203 184210 184238 184322	
Image Options for Rectangle Notary	1 2 3 4 5 6 7 8 9 10  Please indicate an image preference, if any, in the Special Instructions area of the order form. If no preference is indicated, the stamp will be produced without an image.							
Round Notary Embosser Only		Vendor Required	None	None	Not Required	1. Must use a companion stamp along with embossed seal		633381 633361 220661 220651
Companion Stamp Stamp Only	NAME Commission No. 12345 My Commission Expires 00/00/000	Vendor Required	Min: 1-1/2 inches (1.50) Max: 1-3/4 inches (1.75)	None	Not Required	1. Must be used in conjunction with an embossed seal	184315 184245 184329 184203 184210 184238 184322	

FloridaFL		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Registered Architect		Vendor Required	Max: 2 inches (2.00)	None	Required			633381 633361 220661 220651
Embosser Only								
Professional Surveyor and Mapper		Vendor Required	Max: 2 inches (2.00)	None	Required			633381 633361 220661 220651
Embosser Only								
Licensed Interior Designer		Vendor Required	Max: 2 inches (2.00)	None	Required: As Shown			633381 633361 220661 220651
Embosser Only								
Licensed Interior Designer & Registered Architect		Vendor Required	Max: 2 inches (2.00)	None	Required			633381 633361 220661 220651
Embosser Only								
Professional Engineer		Vendor Required	Min: 1-7/8 inches (1.875)	None	Required		184343	220661 220651
Embosser or Stamp								




FloridaFL		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Landscape Architect		Vendor Required	Max: 2 inches (2.00)	None	Required			633381 633361 220661 220651
Embossers Only								
Professional Geologist		Vendor Required	Min: 1-7/8 inches (1.875)	None	Required		184343	220661 220651
Embossers or Stamp								
Professional Geologist		Vendor Required	Min: 1-7/8 inches (1.875)	None	Required		184343	220661 220651
Embossers or Stamp								




Georgia		GA	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Round Notary		Copy	None	None	Not Required	1. "MY COMMISSION EXPIRES MONTH 99, 2009" is optional	669552 184343	633381 633361 220661 220651	
Embosser or Stamp									
Round Notary		Copy	None	None	Not Required	1. "MY COMMISSION EXPIRES AND DATE" is optional	669552 184343	633381 633361 220661 220651	
Embosser or Stamp									
Rectangle Notary		Copy	None	None	Not Required	1. "MY COMMISSION EXPIRES 00/00/0000" is optional	184315 184245 184329 184203 184210 184238 184322	633371 633401	
Embosser or Stamp									
Companion Stamp		Copy	None	None	Not Required	1. A Companion Stamp may be used in conjunction with an embossed seal	184315 184245 184329 184203 184210 184238 184322		
Stamp Only									
Registered Professional Geologist		Copy	Exactly: 2 inches (2.00)	None	Required		184343	220661 220651	
Embosser or Stamp									

Georgia		GA	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Registered Professional Engineer		Copy	Exactly: 1-1/2 inches (1.50)	None	Required		669552 184343	633381 633361	
Embosser or Stamp									
Registered Land Surveyor		Copy	Exactly: 1-1/2 inches (1.50)	None	Required		669552 184343	633381 633361	
Embosser or Stamp									
Registered Landscape Architect		Copy	Max: 2 inches (2.00)	None	Required		699552 184343	633381 633361 220661 220501	
Embosser or Stamp									
Registered Architect		Copy	Exactly: 1-3/4 inches (1.75)	None	Required		184343	220661 220501	
Embosser or Stamp									

Guam		GU	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Round Notary		Copy	None	None	Required	1. Must be use in conjunction with an embossed seal		633381 633361 220661 220651	
Embosser Only									
Rectangle Notary	PLACE NAME HERE NOTARY PUBLIC In and for Guam, USA My Comm. Expires June 30, 2010 PLACE FULL ADDRESS HERE	Copy	None	Black Ink	Required		184315 184245 184329 184203 184210 184238 184322	633371 633401	
Embosser or Stamp									
Companion Stamp	My Commission Expires June 30, 2010 Address of Business or Residence here	Copy	None	Black Ink	Required	1. Must be use in conjunction with an embossed seal	184315 184245 184329 184203 184210 184238 184322		
Stamp Only									
Professional Engineer		Copy	Exactly: 1-1/2 inches (1.50)	None	Required: As Shown	1. A separate stamp is required for each Discipline	669552 184343		
Stamp Only									
Registered Architect		Copy	Exactly: 1-1/2 inches (1.50)	None	Required: As Shown		669552 184343		
Stamp Only									

Guam		GU	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Registered Land Surveyor		Copy	Exactly: 1-1/2 inches (1.50)	None	Required: As Shown		669552 184343		
Stamp Only									


Hawaii		HI	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Round Notary		Vendor Required	Max: 2 inches (2.00)	None	Required: Serrated or Milled		699552 184343	633381 633361 220661 220651	
Embosser or Stamp									
Licensed Professional Engineer		Vendor Required	Exactly: 1-1/2 inches (1.50)	None	Required	1. Branch code is required	669552 184343	633381 633361	
Embosser or Stamp									
Licensed Professional Architect		Vendor Required	Exactly: 1-1/2 inches (1.50)	None	Required		669552 184343	633381 633361	
Embosser or Stamp									
Licensed Professional Land Surveyor		Vendor Required	Exactly: 1-1/2 inches (1.50)	None	Required		669552 184343	633381 633361	
Embosser or Stamp									
Licensed Professional Landscape Architect		Vendor Required	Exactly: 1-1/2 inches (1.50)	None	Required		669552 184343	633381 633361	
Embosser or Stamp									

Idaho ID		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary		Not Available	None	None	Required: As Shown		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Rectangle Notary		Not Available	None	None	Required: As Shown		184315 184245 184329 184203 184210 184238 184322	633371 633401
Embosser or Stamp								
Professional Engineer		Not Available	Exactly: 1-9/16 inches (1.5625)	None	Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Professional Land Surveyor		Not Available	Exactly: 1-9/16 inches (1.5625)	None	Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Licensed Architect		Not Available	Exactly: 1-1/2 inches (1.50)	None	Required	1. The seal does not have to be in the shape of the state of Idaho, but all of the required information must be on the seal	669552 184343	
Stamp Only								




Idaho ID		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Licensed Landscape Architect		Not Available	Exactly: 1-1/2 inches (1.50)	None	Required: As Shown		184343	220661 220651
Embosser or Stamp								
Registered Professional Geologist		Not Available	Exactly: 1-1/2 inches (1.50)	None	Required		669552 184343	633381 633361
Embosser or Stamp								


Illinois		IL	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Rectangle Notary		Vendor Required	Max: 1 x 2-1/2 inches (1.00 x 2.50)	Black	Required: As Shown	1. "NAME OF COUNTY" is optional	184245 184329 184210 184238 184322		
Stamp Only									
Rectangle Notary		Vendor Required	Max: 1 x 2-1/2 inches (1.00 x 2.50)	Black	Required: As Shown	1. "NAME OF COUNTY" is optional	184245 184329 184210 184238 184322		
Stamp Only									
Licensed Architect		Vendor Required	Exactly: 1-5/8 inches (1.625)	None	Required		669552 184343		
Stamp Only									
Licensed Professional Engineer		Vendor Required	Exactly: 1-5/8 inches (1.625)	None	Required		669552 184343		
Stamp Only									
Professional Land Surveyor		Vendor Required	Exactly: 1-5/8 inches (1.625)	None	Required		669552 184343		
Stamp Only									






Illinois		IL	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Licensed Structural Engineer		Vendor Required	Exactly: 1-5/8 inches (1.625)	None	Required		669552 184343		
Stamp Only									
Licensed Professional Geologist		Vendor Required	Exactly: 1-5/8 inches (1.625)	None	Required		669552 184343	633381 633361 220661 220651	
Embosser or Stamp									




Indiana		IN	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Round Notary		Vendor Required	None	None	Not Required	1. "COMMISSION NO 0000000" is optional	669552 184343	633381 633361 220661 220651	
Embosser or Stamp									
Rectangle Notary		Vendor Required	None	None	Not Required	1. "COMMISSION NO 0000000" is optional	184315 184245 184329 184203 184210 184238 184322	633381 633361 220661 220651	
Embosser or Stamp									
Registered Professional Engineer		Vendor Required	Min: 1-5/8 inches (1.625) Max: 1-7/8 inches (1.875)	None	Required		184343	633381 633361 220661 220651	
Embosser or Stamp									
Registered Architect		Vendor Required	Min: 1-5/8 inches (1.625) Max: 1-7/8 inches (1.875)	None	Required		184343		
Stamp Only									
Registered Landscape Architect		Vendor Required	Min: 1-5/8 inches (1.625) Max: 1-7/8 inches (1.875)	None	Required		184343		
Stamp Only									





Indiana		IN	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Registered Land Surveyor		Vendor Required	Min: 1-5/8 inches (1.625) Max: 1-7/8 inches (1.875)	None	Required		184343	633381 633361 220661 220651	
Professional Geologist		Vendor Required	Min: 1-5/8 inches (1.625) Max: 1-7/8 inches (1.875)	None	Required		184343	633381 633361 220661 220651	
Registered Professional Soil Scientist		Vendor Required	Min: 1-5/8 inches (1.625) Max: 1-7/8 inches (1.875)	None	Required		184343	633381 633361 220661 220651	


Iowa		IA	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Round Notary		Vendor Required	None	None	Not Required	1. Blank line can be used in place of expiration date	669552 184343	633381 633361 220661 220651	
Embosser or Stamp									
Rectangle Notary	 Name Here Notarial Seal, Iowa Commission Number 000000 My Commission Expires March 12, 2012	Vendor Required	None	None	Not Required	1. Blank line can be used in place of expiration date	184315 184245 184329 184203 184210 184238 184322		
Stamp Only									
Rectangle Notary	NAME HERE Notarial Seal, Iowa Commission Number 000000 My Commission Expires 	Vendor Required	None	None	Not Required	1. Blank line can be used in place of expiration date	184315 184245 184329 184203 184210 184238 184322		
Stamp Only									
Licensed Professional Engineer		Vendor Required	None	None	Required: As Shown	1. The word "LICENSED" is optional, not required.	669552 184343		
Stamp Only									
Licensed Professional Land Surveyor		Vendor Required	None	None	Required: As Shown	1. The word "LICENSED" is optional, not required.	669552 184343	633381 633361	
Embosser or Stamp									




IowaIA		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015								
Registered Professional Architect		Vendor Required	1-3/4 inches (1.75)	None	Required		669552 184343	633381 633361
Embosser or Stamp								
Registered Landscape Architect		Vendor Required	1-3/4 inches (1.75)	None	Required		669552 184343	
Stamp Only								


Kansas		KS	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Round Notary		Not Available	None	None	Not Required	1. "MY COMM. EXPIRES 00-00-0000" is optional 2. Can also read "MY APPT. EXPIRES"	669552 184343	633381 633361 220661 220651	
Embosser or Stamp									
Rectangle Notary		Not Available	None	None	Not Required	1. "MY COMM. EXPIRES 00-00-0000" is optional 2. Can also read "MY APPT. EXPIRES"	184315 184245 184329 184203 184210 184238 184322	633371 633401	
Embosser or Stamp									
Rectangle Notary		Not Available	None	None	Not Required	1. "MY COMM. EXPIRES 00-00-0000" is optional 2. Can also read "MY APPT. EXPIRES"	184315 184245 184329 184203 184210 184238 184322	633371 633401	
Embosser or Stamp									
Licensed Professional Engineer		Not Available	Max: 1-5/8 inches (1.625)	None	Required		669552 184343	633381 633361	
Embosser or Stamp									
Licensed Architect		Not Available	Max: 1-5/8 inches (1.625)	None	Required		669552 184343		
Stamp only									

Kansas		KS	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015									
Licensed Landscape Architect		Not Available	Max: 1-5/8 inches (1.625)	None	Required		669552 184343	633381 633361	
Embosser or Stamp									
Licensed Geologist		Not Available	Max: 1-5/8 inches (1.625)	None	Required		669552 184343	633381 633361	
Embosser or Stamp									
Licensed Land Surveyor		Not Available	Max: 1-5/8 inches (1.625)	None	Required		669552 184343		
Stamp Only									






Kentucky KY		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary		Vendor Required	None	None	Not Required	1. Seal can read "STATE AT LARGE" or "SPECIAL COMMISSION" 2. Expiration date is optional 3. ID # is optional	669552 184343	633381 633361 220661 220651
Rectangle Notary		Vendor Required	None	None	Not Required	1. Seal can read "STATE AT LARGE" or "SPECIAL COMMISSION" 2. Expiration date is optional 3. ID # is optional	184315 184245 184329 184203 184210 184238 184322	633371 633401
Licensed Professional Engineer		Vendor Required	Min: 1-3/8 inches (1.375) Max: 1-5/8 inches (1.625)	None	Required		669552 184343	633381 633361
Licensed Professional Land Surveyor		Vendor Required	Min: 1-1/4 inches (1.25) Max: 1-1/2 inches (1.50)	None	Required: As Shown		669552 184343	633381 633361
Registered Architect		Vendor Required	Max: 1-9/16 inches (1.5625)	None	Required		669552 184343	633381 633361





Kentucky KY		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Registered Landscape Architect		Vendor Required	Max: 2 inches (2.00)	None	Required			633381 633361 220661 220651
Embosser Only								
Registered Professional Geologist		Vendor Required	Max: 1-5/8 inches (1.625)	None	Required		669552 184343	633381 633361
Embosser or Stamp								




Louisiana LA		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary		Vendor Required	None	None	Not Required	1. Any information and layout requested is allowed 2. No information is required. Seal is NOT required	669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Rectangle Notary	NAME NOTARY PUBLIC PARISH OF COMMISSION LOUISIANA NOTARY ID NO. 000000	Vendor Required	None	None	Not Required	1. Any information and layout requested is allowed 2. No information is required. Seal is NOT required	184245 184329 184210 184238 184322	633371 633401
Embosser or Stamp								
Professional Engineer		Vendor Required	Max: 2 inches (2.00)	None	Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Professional Mechanical Engineer		Vendor Required	Max: 2 inches (2.00)	None	Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Professional Civil Engineer		Vendor Required	Max: 2 inches (2.00)	None	Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								

Louisiana LA		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Licensed Professional Land Surveyor		Vendor Required	Max: 2 inches (2.00)	None	Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Registered Architect		Vendor Required	Max: 1-1/2 inches (1.50)	None	Required		669552 184343	633381 633361
Embosser or Stamp								
Licensed Landscape Architect		Vendor Required	Max: 1-5/8 inches (1.625)	None	Required: As Shown		669552 184343	633381 633361
Embosser or Stamp								
Registered Interior Designer		Vendor Required	Max: 1-5/8 inches (1.625)	None	Required		669552 184343	633381 633361
Embosser or Stamp								
Certified Court Reporter		Vendor Required	1-5/8 inches	None	Required: As Shown		669552 184343	633381 633361
Embosser or Stamp								



Louisiana LA		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Certified Digital Reporter		Vendor Required	Max: 2 inches (2.00)	None	Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								

Maine ME		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary		Vendor Required	None	None	Not Required	1. MY COMMISSION EXPIRES MONTH 00, 0000" is optional	669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Rectangle Notary		Vendor Required	None	None	Not Required	1. MY COMM. EXP. MONTH 00, 0000" is optional	184315 184245 184329 184203 184210 184238 184322	633371 633401
Embosser or Stamp								
Licensed Professional Engineer		Vendor Required	Max: 1-3/4 inches (1.75)	None	Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Professional Land Surveyor		Vendor Required	Max: 1-1/2 inches (1.50)	None	Required		669552 184343	633381 633361
Embosser or Stamp								
Licensed Architect		Vendor Required	Max: 1-3/4 inches (1.75)	None	Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								




Maine		ME	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Licensed Landscape Architect		Vendor Required	Max: 1-3/4 inches (1.75)	None	Required		669552 184343	633381 633361	
Embosser or Stamp									
Certified Interior Designer		Vendor Required	Max: 1-3/4 inches (1.75)	None	Required		669552 184343	633381 633361 220661 220651	
Embosser or Stamp									
Geologist		Vendor Required	Max: 1-1/2 inches (1.50)	None	Required		669552 184343		
Stamp Only									
Soil Scientist		Vendor Required	Max: 1-1/2 inches (1.50)	None	Required		669552 184343		
Stamp Only									

Maryland MD		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary		Vendor Required	None	None	Not Required	1. Can have a bow tie or propeller if requested 2. "MY COMMISSION EXPIRES MONTH 00, 0000" is optional. Must request if wanted.	669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Rectangle Notary		Vendor Required	None	None	Not Required	1. "My Commission Expires 00-00-0000" is optional. Must request if wanted.	184315 184245 184329 184203 184210 184238 184322	633371 633401
Embosser or Stamp								
Professional Engineer		Vendor Required	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Not Required	1. LIC# required	184343	633381 633361 220661 220651
Embosser or Stamp								
Professional Land Surveyor		Vendor Required	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Not Required	1. LIC# required	184343	633381 633361 220661 220651
Embosser or Stamp								
Architect		Vendor Required	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Not Required	1. LIC# required	184343	633381 633361 220661 220651
Embosser or Stamp								



Maryland MD		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Landscape Architect		Vendor Required	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Required	1. LIC# required	184343	633381 633361 220661 220651
Embosser or Stamp								
Certified Interior Designer		Vendor Required	Max: 2 inches (2.00)	None	Required	1. LIC# required	669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Licensed Forester		Vendor Required	Max: 2 inches (2.00)	None	Required		669552 184343	
Stamp Only								
Licensed Real Estate Appraiser		Vendor Required	Max: 2 inches (2.00)	None	Required	1. LIC# required		633381 633361 220661 220651
Embosser Only								

Massachusetts MA		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary		Vendor Required	None	Black	Not Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Rectangle Notary		Vendor Required	None	Black	Not Required		184315 184245 184329 184203 184210 184238 184322	
Stamp Only								
Registered Professional Engineer		Vendor Required	Max: 1-1/2 inches (1.50)	None	Required: As Shown		669552 184343	633381 633361
Embosser or Stamp								
Registered Licensed Site Professional		Vendor Required	Min: 1-5/8 inches (1.625)	None	Required: As Shown		184343	633381 633361
Embosser or Stamp								
Licensed Auto Damage Appraiser		Vendor Required	Max: 2 inches (2.00)	None	Required: As Shown		669552 184343	633381 633361 220661 220651
Embosser or Stamp								


Massachusetts MA		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Registered Architect Stamp Only		Vendor Required	Max: 1-5/8 inches (1.625)	None	Required: As Shown		669552 184343	
Registered Landscape Architect Stamp Only		Vendor Required	Max: 1-5/8 inches (1.625)	None	Required		669552 184343	
Professional Land Surveyor Stamp Only		Vendor Required	Max: 1-5/8 inches (1.625)	None	Required: As Shown		669552 184343	
Registered Professional Home Inspector Stamp Only		Vendor Required	Max: 1-5/8 inches (1.625)	None	Required: As Shown		669552 184343	

Michigan MI		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary		Vendor Required	None	None	Not Required	1. "Acting in the County of" is optional	669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Rectangle Notary		Vendor Required	None	None	Not Required	1. "Acting in the County of" is optional	184245 184329 184210 184238 184322	633381 633361 220661 220651
Embosser or Stamp								
Licensed Professional Engineer		Vendor Required	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Required: As Shown		184343	633381 633361 220661 220651
Embosser or Stamp								
Licensed Architect		Vendor Required	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Required: As Shown		184343	633381 633361 220661 220651
Embosser or Stamp								
Registered Landscape Architect		Vendor Required	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Required: As Shown		184343	633381 633361 220661 220651
Embosser or Stamp								


Michigan MI		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Licensed Professional Surveyor		Vendor Required	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Required: As Shown		184343	633381 633361 220661 220651
Embossers or Stamp								
Registered Forester		Vendor Required	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Required: As Shown		184343	633381 633361 220661 220651
Embossers or Stamp								



Minnesota MN		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
							Stamps	Embossers
Updated: 1-2015								
Rectangle Notary	 	Vendor Required	Max: 2-1/2 x 3/4 inches (2.50 x .75)	None	Required: As Shown	1. Stamp MUST be rectangular and contain the state seal	184245 184329 184210 184238 184322	
Stamp Only								
Licensed Architect	I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the laws of the State of Minnesota. Print Name: _____ Signature: _____ Date: _____ License # _____	Vendor Required	None	None	As Shown	1. Stamp MUST be rectangular	184238 184245 184315 184322 184329 873890	
Stamp Only								
Licensed Land Surveyor	I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision and that I am a duly Licensed Land Surveyor under the laws of the State of Minnesota. Print Name: _____ Signature: _____ Date: _____ License # _____	Vendor Required	None	None	As Shown	1. Stamp MUST be rectangular	184238 184245 184315 184322 184329 873890	
Stamp Only								
Certified Interior Designer	I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision and that I am a duly Certified Interior Designer under the laws of the State of Minnesota. Print Name: _____ Signature: _____ Date: _____ Certification # _____	Vendor Required	None	None	As Shown	1. Stamp MUST be rectangular	184238 184245 184315 184322 184329 873890	
Stamp Only								
Licensed Professional Soil Scientist	I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision and that I am a duly Licensed Professional Soil Scientist under the laws of the State of Minnesota. Print Name: _____ Signature: _____ Date: _____ License # _____	Vendor Required	None	None	As Shown	1. Stamp MUST be rectangular	184238 184245 184315 184322 184329 873890	
Stamp Only								




Minnesota MN		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Licensed Professional Engineer	I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision and that I am a duly Licensed Professional Engineer under the laws of the State of Minnesota. Print Name: Signature: Date: License #	Vendor Required	None	None	As Shown	1. Stamp MUST be rectangular	184238 184245 184315 184322 184329 873890	
Licensed Landscape Architect	I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the laws of the State of Minnesota. Print Name: Signature: Date: License #	Vendor Required	None	None	As Shown	1. Stamp MUST be rectangular	184238 184245 184315 184322 184329 873890	
Licensed Professional Geologist	I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision and that I am a duly Licensed Professional Geologist under the laws of the State of Minnesota. Print Name: Signature: Date: License #	Vendor Required	None	None	As Shown	1. Stamp MUST be rectangular	184238 184245 184315 184322 184329 873890	




Mississippi MS		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
							Stamps	Embossers
Updated: 1-2015								
Round Notary		Vendor Required	Min: 1-1/2 inches (1.50) Max: 2-1/2 inches (2.50)	None	Required: As Shown	1. All text must be inside the border	669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Licensed Professional Engineer		None	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Required		184343	633381 633361 220661 220651
Embosser or Stamp								
Licensed Professional Land Surveyor		Vendor Required	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Not Required		184343	633381 633361 220661 220651
Embosser or Stamp								
Licensed Professional Engineer & Land Surveyor		Vendor Required	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Not Required		184343	633381 633361 220661 220651
Embosser or Stamp								
Registered Architect		Vendor Required	Max: 1-1/2 inches (1.50)	None	Not Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								



Mississippi MS Updated: 1-2015		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
							Stamps	Embossers
Registered Landscape Architect Stamp Only		Vendor Required	Max: 2 inches (2.00)	None	Required: As Shown		669552 184343	
Registered Professional Geologist Embossor or Stamp		Vendor Required	Max: 1-5/8 inches (1.625)	None	Required: As Shown		669552 184343	633381 633361




Missouri MO		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary Stamp Only		Vendor Required	None	None	Required: As Shown	1. No smaller then 8pt on the following copy: NAME, NOTARY SEAL, NOTARY PUBLIC, STATE OF MISSOURI	669552 184343	
Round Notary Embosser or Stamp		Vendor Required	None	None	Required: As Shown	1. No smaller then 8pt on the following copy: NAME, NOTARY SEAL, NOTARY PUBLIC, STATE OF MISSOURI	669552 184343	633381 633361 220661 220651
Rectangle Notary Stamp Only	NAME Notary Public - Notary Seal STATE OF MISSOURI Name of County My Commission Expires: Oct. 1, 2010 Commission #12345678 NAME Notary Public Notary Seal STATE OF MISSOURI Commission #12345678	Vendor Required	None	None	Required: As Shown	1. No smaller then 8pt on the following copy: NAME, NOTARY SEAL, NOTARY PUBLIC, STATE OF MISSOURI 2. Date must be spelled out	184238 184245 184315 184322 184329 873890	
Professional Engineer Embosser or Stamp		Vendor Required	Exactly: 1-3/4 inches (1.75)	None	Required: As Shown	1. Layout must match sample exactly	184343	220661 220651
Architect Embosser or Stamp		Vendor Required	Exactly: 1-3/4 inches (1.75)	None	Required: As Shown		184343	220661 220651




Missouri MO		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Registered Land Surveyor		Vendor Required	Exactly: 1-3/4 inches (1.75)	None	Required: As Shown		184343	220661 220651
Embosser or Stamp								
Licensed Real Estate Appraiser		Vendor Required	Max: 1-3/4 inches (1.75)	None	Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Certified Real Estate Appraiser (General)		Vendor Required	Max: 1-3/4 inches (1.75)	None	Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Certified Real Estate Appraiser (Residential)		Vendor Required	Max: 1-3/4 inches (1.75)	None	Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Registered Geologist		Vendor Required	Max: 1-3/4 inches (1.75)	None	Required: As Shown		669552 184343	633381 633361 220661 220651
Embosser or Stamp								



Montana MT		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Rectangle Notary		Vendor Required	Approx: 1 x 2-1/2 inches (1.00 x 2.50)	Black or Blue	Required: As Shown	1. Must enter notaries name on the round seal	184329 873890	
Stamp Only								
Licensed Professional Engineer		Vendor Required	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Required: As Shown	1. PE after notary identification number is required	184343	633381 633361 220661 220651
Embosser or Stamp								
Licensed Land Surveyor		Vendor Required	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Required: As Shown	1. LS after notary identification number is required	184343	633381 633361 220661 220651
Embosser or Stamp								




Montana MT		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Licensed Professional Engineer and Land Surveyor Embosser or Stamp		Vendor Required	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Required: As Shown	1. ES after notary identification number is required	184343	633381 633361 220661 220651
Licensed Architect Embosser or Stamp		Vendor Required	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Required: As Shown		184343	633381 633361 220661 220651
Landscape Architect Stamp Only		Vendor Required	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Required: As Shown		184343	



Nebraska NE		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Rectangle Notary		Vendor Required	Suggested: 1/2 x 2 inches (.50 x 2.00)	None	Required: As Shown	1. State of Nebraska discourages round Notary stamps	184210 184238 184245 184322 184329	
Stamp Only								
Rectangle Notary		Vendor Required	Suggested: 1/2 x 2 inches (.50 x 2.00)	None	Required: As Shown		184210 184238 184245 184322 184329	
Stamp Only								
Professional Engineer		Vendor Required	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Required: As Shown		184343	633381 633361 220661 220651
Embosser or Stamp								
Architect		Vendor Required	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Required		184343	633381 633361 220661 220651
Embosser or Stamp								
Professional Geologist		Vendor Required	Max: 2 inches (2.00)	None	Required		184343	
Stamp Only								


Nevada NV		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Rectangle Notary		Vendor Required	Max: 2-1/2 x 1 inches (2.50 x 1.00)	None	Required	1. The great seal of the state of Nevada is optional 2. County name is allowed if requested	184210 184238 184245 184315 184322 184329	
Stamp Only								
Rectangle Notary		Vendor Required	Max: 2-1/2 x 1 inches (2.50 x 1.00)	None	Required	1. If the Notary doesn't reside in Nevada, the phrase "Non-Resident" is required 2. The great seal of the state of Nevada is optional 3. County name is allowed if requested	184210 184238 184245 184315 184322 184329	
Stamp Only								
Professional Engineer		Vendor Required	Max: 1-7/8 inches (1.875)	None	Required		669552 184343	
Stamp Only								
Professional Land Surveyor		Vendor Required	Max: 1-7/8 inches (1.875)	None	Required		669552 184343	
Stamp Only								
Registered Architect		Vendor Required	Max: 1-7/8 inches (1.875)	None	Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								




New Hampshire		NV	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Round Notary		Vendor Required	None	None	Not Required	1. Expiration date is not required on embosser if a companion stamp is used 2. Expiration date is required on stamps	184210 184238 184245 184315 184322 184329	633381 633361 220661 220651	
Embosser or Stamp									
Companion Stamp		Vendor Required	None	None	Required: As Shown	1. A Companion stamp is required if an embossing seal is ordered	184210 184238 184245 184315 184322 184329		
Stamp Only									
Rectangle Notary		Vendor Required	None	None	Not Required		669552 184343		
Stamp Only									
Licensed Architect		Vendor Required	Max: 1-9/16 inches (1.5625)	None	Required: As Shown		669552 184343	633381 633361 220661 220651	
Embosser or Stamp									
Licensed Professional Engineer		Vendor Required	Max: 1-9/16 inches (1.5625)	None	Required: As Shown		669552 184343	633381 633361 220661 220651	
Embosser or Stamp									

New Hampshire		NV	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Licensed Professional Geologist		Vendor Required	Max: 1-5/8 inches (1.625)	None	Required		669552 184343	633381 633361	
Embosser or Stamp									
Licensed Landscape Architect		Vendor Required	Max: 1-3/4 inches (1.75)	None	Required: As Shown		669552 184343		
Stamp Only									
Licensed Home Inspector		Vendor Required	Exactly: 1-9/16 inches (1.5625)	None	Required: As Shown		669552 184343		
Stamp Only									
Licensed Court Reporter		Vendor Required	Exactly: 1-9/16 inches (1.5625)	None	Required: As Shown		669552 184343		
Stamp Only									

New Jersey NJ		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Emobssers
Round Notary		Vendor Required	None	None	Not Required	1. "No. 00000" is optional	669552 184343	
Embosser or Stamp								
Round Notary		Vendor Required	None	None	Required: As Shown	1. The great seal of the state of New Jersey is optional 2. "My Comm. Exp. 00-00-0000" is optional	669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Rectangle Notary		Vendor Required	None	None	Not Required	1. "No. 00000" is optional	184203 184210 184238 184245 184329 184315 184322	633371 633401
Embosser or Stamp								
Licensed Professional Engineer		Vendor Required	Max: 1-1/2 inches (1.50)	None	Required	1. Numbers 240 and two 0's at the end of the identification number are not allowed		633381 633361
Embosser Only								
Licensed Professional Land Surveyor		Vendor Required	Max: 1-1/2 inches (1.50)	None	Required	1. Numbers 240 and two 0's at the end of the identification number are NOT allowed		633381 633361
Embosser Only								

New Jersey NJ		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Licensed Professional Engineer and Land Surveyor Embosser Only		Vendor Required	Max: 1-1/2 inches (1.50)	None	Required	1. Numbers 240 and two 0's at the end of the identification number are not allowed		633381 633361
Registered Architect Embosser Only		Vendor Required	Max: 1-1/2 inches (1.50)	None	Required			633381 633361
Certified Landscape Architect Embosser Only		Vendor Required	Max: 1-1/2 inches (1.50)	None	Required			633381 633361
Licensed Master Plumber Embosser Only		Vendor Required	Max: 1-1/2 inches (1.50)	None	Required			633381 633361



New Jersey NJ		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Public Weigher		Vendor Required	Max: 1-1/2 inches (1.50)	None	Required			633381 633361
Embosser Only								
NJ State Auto Dealer Stamp	N.J. SALES TAX SATISFIED M.V. Ident No. 000000 Purchase Price \$ Net Sales Amt. \$ Sales Tax Paid \$ Ex. Code Date Dealer's Signature	Vendor Required	Exactly: 3 x 1-1/2 inches (3.00 x 1.50)	None	Required	1. Must have ID # filled in on first line	317051	

New Mexico NM		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary Embosser Only		Not Available	None	None	Not Required			633381 633361 220661 220651
Rectangle Notary Stamp Only	 	Not Available	None	None	Not Required	1. Round stamps not allowed 2. Signature Lines not allowed	184315 184245 184329 184203 184238 184210 184322	
Licensed Professional Engineer Embosser or Stamp		Not Available	Max: 1-1/2 inches (1.50)	None	Required: As Shown		669552 184343	633381 633361
Licensed Professional Surveyor Stamp Only		Not Available	Max: 1-1/2 inches (1.50)	None	Required: As Shown		669552 184343	
Registered Architect Embosser or Stamp		Not Available	Max: 1-3/4 inches (1.75)	None	Required: As Shown		669552 184343	633381 633361 220661 220651

New Mexico NM

Updated: 1-2015

Registered Landscape Architect		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
							Stamps	Embossers
Embosser or Stamp		Not Available	Max: 1-5/8 inches (1.625)	None	Required: As Shown		669552 184343	633381 633361

New York NY		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary Stamp Only		Vendor Required	None	None	Not Required	1. Embosser is permitted, but must be used in conjunction with a stamp 2. "Comm. Exp." and "Comm. No. 0000" are optional	669552 184343	
Round Notary Embosser Only		Vendor Required	None	None	Required	1. Embosser is permitted, but must be used in conjunction with a stamp		633381 633361 220661 220651
Rectangle Notary Embosser or Stamp		Vendor Required	None	None	Not Required	1. Embosser is permitted, but must be used in conjunction with a stamp 2. Name of County, "LIC. #00000" and "COMM. EXP." are optional	184210 184238 184245 184329 184315 184322	633381 633361 220661 220651
Licensed Professional Engineer Embosser or Stamp		Vendor Required	Max: 1-3/4 inches (1.75)	None	Required		669552 184343	633381 633361 220661 220651
Registered Landscape Architect Embosser or Stamp		Vendor Required	Max: 1-3/4 inches (1.75)	None	Required		669552 184343	633381 633361 220661 220651

New York NY		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Registered Architect		Vendor Required	Max: 1-3/4 inches (1.75)	None	Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Licensed Land Surveyor		Vendor Required	Max: 1-3/4 inches (1.75)	None	Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Certified Asbestos Investigator		Vendor Required	Max: 1-3/4 inches (1.75)	None	Required: As Shown	1. Five digit number is optional	669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Master Fire Suppression		Vendor Required	Max: 1-5/8 inches (1.625)	None	Required			633381 633361
Embosser Only								
Licensed Master Plumber		Vendor Required	Max: 1-5/8 inches (1.625)	None	Required			633381 633361
Embosser Only								

New York NY

Updated: 1-2015

Certificate
Requirements

Size
Requirements

Color
Requirements

Border
Requirements

State Notes
&
Recommendations

Available Item Numbers

Stamps

Embossers

Licensed
Master
Electrician



Embosser Only





Vendor
Required

Max:
1-5/8 inches
(1.625)

None


Required

633381
633361

North Carolina Updated: 1-2015		NC	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
								Stamps	Embossers
Round Notary Embosser or Stamp		Vendor Required	Min: 1-1/2 inches (1.50) Max: 2 inches (2.00)	None	Required	1. Embosser is permitted, but must be used in conjunction with a stamp 2. "My Commission Expires 00-00-00" is optional	669552 184343	633381 633361 220661 220651	
Round Notary Embosser or Stamp		Vendor Required	Min: 1-1/2 inches (1.50) Max: 2 inches (2.00)	None	Required	1. Embosser is permitted, but must be used in conjunction with a stamp 2. "Expires:" is optional	669552 184343	633381 633361 220661 220651	
Rectangle Notary Stamp Only		Vendor Required	Max: 1 x 2-1/2 inches (1.00 x 2.50)	None	Required	1. "My Commission Expires and Date" are optional	184315 184245 184329 184203 184238 184210 184322		
Professional Engineer Embosser or Stamp		Vendor Required	Max: 1-3/4 inches (1.75)	None	Required		669552 184343	633381 633361 220661 220651	
Professional Land Surveyor Embosser or Stamp		Vendor Required	Max: 1-3/4 inches (1.75)	None	Required		669552 184343	633381 633361 220661 220651	

North Carolina Updated: 1-2015		NC	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
								Stamps	Embossers
Registered Architect		Vendor Required	Max: 1-1/2 inches (1.50)	None	Required		669552 184343	633381 633361	
Embosser or Stamp									
Registered Landscape Architect		Vendor Required	Max: 1-1/2 inches (1.50)	None	Required		669552 184343	633381 633361	
Embosser or Stamp									
Residential Appraiser		Vendor Required	Max: 1-1/2 inches (1.50)	None	Required: As Shown	1. Follow copy of state certificate attached to order: Licensed, Certified, General, Trainee, Certified Residential/General	669552 184343	633381 633361	
Embosser or Stamp									
General Appraiser		Vendor Required	Max: 1-1/2 inches (1.50)	None	Required: As Shown	1. Follow copy of state certificate attached to order: Licensed, Certified, General, Trainee, Certified Residential/General	669552 184343	633381 633361	
Embosser or Stamp									
Residential/ General Appraiser		Vendor Required	Max: 1-5/8 inches (1.625)	None	Required: As Shown	1. Follow copy of state certificate attached to order: Licensed, Certified, General, Trainee, Certified Residential/General	669552 184343	633381 633361	
Embosser or Stamp									

North Carolina Updated: 1-2015		NC	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
		Stamps						Embossers	
Registered Landscape Contractor		Vendor Required	Max: 1-5/8 inches (1.625)	None	Required			669552 184343	633381 633361
Embosser or Stamp									
Licensed Geologist		Vendor Required	Max: 1-5/8 inches (1.625)	None	Required			669552 184343	
Stamp Only									
Registered Forester		Vendor Required	Max: 1-5/8 inches (1.625)	None	Required			669552 184343	633381 633361
Embosser or Stamp									
Registered Sanitarian		Vendor Required	Max: 1-5/8 inches (1.625)	None	Required			669552 184343	633381 633361
Embosser or Stamp									

North Dakota ND		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary		Vendor Required	Exactly: 1-5/8 inches (1.625)	None	Required	1. Match sample exactly. No additional information may be added	184343	633381 633361
Embossers or Stamp								
Rectangle Notary		Vendor Required	7/8 x 2-5/8 inches (0.875 x 2.625)	None	Required: As Shown	1. Match sample exactly. No additional information may be added	184329 184238 184322	
Stamp Only								
Registered Professional Engineer		Vendor Required	Max: 1-5/8 inches (1.625)	None	Required		669552 184343	633381 633361
Embossers or Stamp								
Registered Land Surveyor		Vendor Required	Max: 1-5/8 inches (1.625)	None	Required		669552 184343	633381 633361
Embossers or Stamp								
Registered Professional Engineer & Land Surveyor		Vendor Required	Max: 1-5/8 inches (1.625)	None	Required		669552 184343	633381 633361
Embossers or Stamp								

North Dakota ND

Updated: 1-2015



Registered Architect	I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision, and that I am a duly Registered Architect under the laws of the State of North Dakota.	Vendor Required	None	None	Required		184245 184329 873890 184238	
	Date _____ Reg. No. _____							
Stamp Only								


North Marina NMI Island Updated: 1-2015		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
							Stamps	Embossers
Round Notary Embosser or Stamp		Not Available	Max: 2 inches (2.00)	None	Required: As Shown		669552 184343	633381 633361 220661 220651
Rectangle Notary Stamp Only		Not Available	Max: 1 x 2 inches (1.00 x 2.00)	None	Required		184315 184245 184329 184210 184238	
Professional Civil Engineer Embosser or Stamp		Not Available	Max: 1-5/8 inches (1.625)	None	Required: As Shown		669552 184343	633381 633361
Professional Land Surveyor Embosser or Stamp		Not Available	Max: 1-5/8 inches (1.625)	None	Required: As Shown		669552 184343	633381 633361
Landscape Architect Embosser or Stamp		Not Available	Max: 1-5/8 inches (1.625)	None	Required: As Shown		669552 184343	633381 633361


North Marina NMI Island

Updated: 1-2015

North Marina NMI Island Updated: 1-2015		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
							Stamps	Embossers
Registered Architect		Not Available	Max: 1-5/8 inches (1.625)	None	Required: As Shown		669552 184343	
Stamp Only								

OhioOH		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary		Vendor Required	None	None	Not Required	1. The inner seal must be 1 inch in diameter 2. County name may be added, but optional	184343	633381 633361 220661 220651
Embosser or Stamp								
Round Notary		Vendor Required	None	None	Not Required	1. The inner seal must be 1 inch in diameter 2. "MY COMM. EXP. 00-00-0000" is optional 3. County name may be added, but optional	184343	633381 633361 220661 220651
Embosser or Stamp								
Rectangle Notary		Vendor Required	None	None	Not Required	1. The inner seal must be 1 inch in diameter 2. "MY COMM. EXP. 00-00-0000" is optional 3. County name may be added, but optional 4. Border is optional	873890	633371 633401
Embosser or Stamp								
Rectangle Notary		Vendor Required	None	None	Not Required	1. The inner seal must be 1 inch in diameter 2. "MY COMM. EXP. 00-00-0000" is optional 3. County name may be added, but optional	873890	633371 633401
Embosser or Stamp								
Registered Professional Engineer		Vendor Required	Embosser Max: 1-5/8 inches (1.625) Stamp Max: 1-3/4 inches (1.75)	None	Required	1. Note different Max sizes for embosser and stamp	669552 184343	633381 633361
Embosser or Stamp								


OhioOH		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Registered Professional Surveyor		Vendor Required	Embosser Max: 1-5/8 inches (1.625) Stamp Max: 1-3/4 inches (1.75)	None	Required	1. Note different Max sizes for embosser and stamp	669552 184343	633381 633361
Registered Architect		Vendor Required	None	None	Required		184343	633381 633361 220661 220651
Embossers or Stamps								

Oklahoma OK		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary		Copy	None	None	Not Required	1. "COMM. NO." is optional 2. "EXP 00/00/0000" is optional	669552 184343	633381 633361 220661 220651
Rectangle Notary	NAME NOTARY PUBLIC NAME OF COUNTY STATE OF OKLAHOMA COMMISSION NO. 9999 EXPIRES 00-00-2000 	Copy	None	None	Not Required	1. "COMMISSION NO. 9999" is optional 2. "EXPIRES 00-00-0000" is optional 3. County Name is optional 4. State Seal is optional	184315 184245 184329 184203 184238 184210 184322	633371 633401
Licensed Professional Engineer		Copy	Min: 1-5/8 inches (1.625) Max: 1-7/8 inches (1.875)	None	Not Required		184343	633381 633361 220661 220651
Licensed Professional Land Surveyor		Copy	Min: 1-5/8 inches (1.625) Max: 1-7/8 inches (1.875)	None	Not Required		184343	633381 633361 220661 220651
Licensed Architect		Vendor Required	1-5/8 inches (1.625)	None	Required: As Shown		184343	633381 633361

Oklahoma OK		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Licensed Landscape Architect		Vendor Required	1-5/8 inches (1.625)	None	Required		184343	633381 633361
Embosser or Stamp								
Limited Liability Company		Vendor Required	1-5/8 inches (1.625)	None	Required		184343	633381 633361
Embosser or Stamp								

Oregon		OR	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Round Notary Embosser Only		Letter Received From State	Max: 2 inches (2.00)	Black Only	Required	1. Embosser is permitted, but must be used with a stamp		633381 633361 220661 220651	
Rectangle Notary Stamp Only		Letter Received From State	Exactly: 3/4 x 2-3/8 inches (0.75 x 2.375)	Color but prefer Black	Required: As Shown	1. Stamp must be rectangular 2. Font must be 8pt. 3. Great seal of Oregon must be 1/2 in. diameter 4. "MY COMMISSION" must be SPELLED OUT and the date must be TWO-DIGIT & YEAR	184238 184329	633371 633401	
Registered Professional Engineer Stamp Only		Copy	Min: 1-5/8 inches (1.625) Max: 1-7/8 inches (1.875)	None	Required: As Shown		184343		
Registered Professional Land Surveyor Stamp Only		Copy	Min: 1-5/8 inches (1.625) Max: 1-7/8 inches (1.875)	None	Required: As Shown		184343		
Registered Architect Stamp Only		Copy	None	None	Required		669552 184343		

Oregon		OR	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Registered Geologist		Copy	None	None	Required: As Shown		669552 184343		
Stamp Only									
Certified Engineering Geologist		Copy	None	None	Required: As Shown		669552 184343		
Stamp Only									
Registered Landscape Architect		Copy	None	None	Required		669552 184343		
Stamp Only									

Pennsylvania PA		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary Embosser Only		Bond	Max: 2 inches (2.00)	None	Not Required	1. Embosser permitted, but must be used with a stamp		633381 633361 220661 220651
Rectangle Notary Stamp Only	Commonwealth of Pennsylvania 	Bond	Max: 1 x 3-1/2 inches (1.00 x 3.50)	None	Required: As Shown	1. Stamp must be rectangular 2. "Commonwealth of Pennsylvania" is optional 3. Must indicate municipality, city, borough, township	184315 184245 184329 184203 184238 184210 184322	
Registered Professional Engineer Embosser or Stamp		Vendor Required	Min: 1-1/2 inches (1.50) Max: 1-3/4 inches (1.75)	None	Required: As Shown		669552 184343	633381 633361 220661 220651
Registered Professional Land Surveyor Embosser or Stamp		Vendor Required	Min: 1-1/2 inches (1.50) Max: 1-3/4 inches (1.75)	None	Required: As Shown		669552 184343	633381 633361 220661 220651
Registered Architect Embosser or Stamp		Vendor Required	Min: 1-1/2 inches (1.50) Max: 1-3/4 inches (1.75)	None	Required: As Shown		669552 184343	633381 633361 220661 220651

Pennsylvania PA		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Registered Landscape Architect		Vendor Required	Min: 1-1/2 inches (1.50) Max: 1-3/4 inches (1.75)	None	Required: As Shown		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Registered Professional Geologist		Vendor Required	Min: 1-1/2 inches (1.50) Max: 1-3/4 inches (1.75)	None	Required: As Shown		669552 184343	633381 633361 220661 220651
Embosser or Stamp								

Puerto Rico PR





Updated: 1-2015

Puerto Rico PR		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
							Stamps	Embossers
Round Notary		Licensed to practice law is required	Exactly: 2 inches (2.00)	Black or Blue	Required		184343	220661 220651
Embosser or Stamp								


Republic of Palau

Updated: 1-2015



Registered Land Surveyor		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
							Stamps	Embossers
Stamp Only		Not Available	Exactly: 1-9/16 inches (1.5625)	None	Required: As Shown		669552 184343	

South Carolina		SC	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Round Notary		Vendor Required	None	None	Not Required	1. "COM. EXP. 00-00-0000" is optional	669552 184343	633381 633361 220661 220651	
Embosser or Stamp									
Rectangle Notary		Vendor Required	None	None	Not Required	1. "MY COMMISSION EXPIRES 0-00-00" is optional 2. They can have state seal if requested	184315 184245 184329 184238 184210 184322		
Stamp Only									
Rectangle Notary		Vendor Required	None	None	Not Required		184315 184245 184329 184238 184210 184322	633371 633401	
Embosser or Stamp									
Licensed Professional Engineer		Vendor Required	Max: 1-9/16 inches (1.5625)	None	Required		669552 184343		
Stamp Only									
Registered Architect		Vendor Required	Max: 1-9/16 inches (1.5625)	None	Required		669552 184343		
Stamp Only									



South Carolina		SC	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015								Stamps	Embossers
Professional Geologist		Vendor Required	Max: 1-9/16 inches (1.5625)	None	Required		669552 184343	633381 633361	
Embosser or Stamp									
Professional Land Surveyor		Vendor Required	Max: 1-9/16 inches (1.5625)	None	Required			633381 633361	
Embosser Only									
Registered Landscape Architect		Vendor Required	Exactly: 1-3/4 inches (1.75)	None	Required: As Shown		669552 184343	633381 633361 220661 220651	
Embosser or Stamp									


South Dakota		SD	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Round Notary		Not Available	None	None	Not Required	1. "MY COMM. EXPIRES 00-00-0000" is optional and needs to be on a separate stamp	669552 184343	633381 633361 220661 220651	
Embosser or Stamp									
Rectangle Notary		Not Available	None	None	Required: As Shown	1. "MY COMMISSION EXPIRES 0-00-00" is optional and needs to be on a separate stamp	184315 184245 184329 184203 184238 184210 184322		
Stamp Only									
Registered Professional Engineer		Not Available	Exactly: 2 inches (2.00)	None	Required: As Shown		669552 184343	633381 633361 220661 220651	
Embosser or Stamp									
Registered Professional Architect		Not Available	Exactly: 2 inches (2.00)	None	Required: As Shown		669552 184343	633381 633361 220661 220651	
Embosser or Stamp									
Registered Land Surveyor		Not Available	Exactly: 2 inches (2.00)	None	Required: As Shown		669552 184343	633381 633361 220661 220651	
Embosser or Stamp									






South Dakota		SD	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015								Stamps	Embossers
Abstractor	Abstracting Company can design their own seal - it MUST contain the company name		Not Available	None	None	Not Required			633381 633361 220661 220651
Embosser Only									
Registered Professional Landscape Architect			Not Available	Exactly: 2 inches (2.00)	None	Required: As Shown			633381 633361 220661 220651
Embosser Only									

Tennessee TN		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary Stamp Only		Vendor Required	None	Black & Yellow are NOT allowed	Required	1. Stamp MUST be a circle	669552 184343	
Round Notary Stamp Only		Vendor Required	None	Black & Yellow are NOT allowed	Required	1. Stamp MUST be a circle 2. "MY COMMISSION EXPIRES MONTH 00,0000" is optional	669552 184343	
Companion Stamp Stamp Only		Not Available	None	None	None	1. Stamp MUST read "My Commission Expires Month Date, Year"	184315 184245 184203 184210 184238	
Registered Engineer Embosser or Stamp		Vendor Required	Exactly: 2 inches (2.00)	None	Required: As Shown		184343	220661 220651
Registered Architect Embosser or Stamp		Vendor Required	Exactly: 2 inches (2.00)	None	Required: As Shown		184343	220661 220651



Tennessee TN		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Registered Land Surveyor		Vendor Required	Max: 2 inches (2.00)	None	Required: As Shown		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Licensed Certified Weigher		Vendor Required	1-3/8 inches (1.375)	None	Required: As Shown	1. MUST HAVE: Weighers name \ license number \ AND WORDS: Tennessee Certified Weigher	669552 184343	
Stamp Only								
Licensed Professional Geologist		Vendor Required	Max: 2 inches (2.00)	None	Required: As Shown		669552 184343	633381 633361 220661 220651
Embosser or Stamp								



Texas TX		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary		Vendor Required	Max: 2 inches (2.00)	None	Required: As Shown	1. If notary is not bonded this line needs to be on the stamp: Notary without Bond (place it under the border)	669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Rectangle Notary		Vendor Required	Max: 1 x 2-1/2 inches (1.00 x 2.50)	None	Required: As Shown	1. If notary is not bonded this line needs to be on the stamp: Notary without Bond (place it under the border)	184245 184329 184210 184238 184322	633371 633401
Embosser or Stamp								
Licensed Professional Engineer		Vendor Required	1-5/8 inches (1.625) OR 2 inches (2.00)	None	Required: As Shown		184343	633381 633361 220661 220651
Embosser or Stamp								
Registered Landscape Architect		Vendor Required	Exactly: 1-5/8 inches (1.625)	None	Required: As Shown		184343	633381 633361
Embosser or Stamp								
Registered Architect		Vendor Required	Min: 1-1/2 inches (1.50)	None	Required: As Shown		669552 184343	633381 633361 220661 220651
Embosser or Stamp								

TexasTX		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Licensed Irrigator		Vendor Required	Min: 1-1/2 inches (1.50)	None	Required: As Shown		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Registered Professional Land Surveyor		Vendor Required	Max: 1-9/16 inches (1.5625)	None	Required: As Shown		669552 184343	633381 633361
Embosser or Stamp								
Registered Interior Designer		Vendor Required	Max: 1-9/16 inches (1.5625)	None	Required: As Shown		669552 184343	633381 633361
Embosser or Stamp								
Registered Professional Geology		Vendor Required	1-5/8 inch Pocket Seal 2 inch Desk Seal	None	Required: As Shown	1. Discipline changes: Geophysics, Soil Science. Use only the digits of your license #	184343	633381 633361
Embosser or Stamp								



Utah		UT	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Rectangle Notary		Copy	Max: 1 x 2-1/2 inches (1.00 x 2.50)	Must be: Violet	Required	1. Stamp must be a rectangle	184245 184329 184203 184210 184238 184322		
Stamp Only									
Real Estate Appraisers		Copy	Max: 5/8 x 2-7/8 inches (0.625 x 2.875)	None	Required	1. Must read General Appraiser	184315 184245 184203 184210 184238 184322		
Stamp Only									
Professional Engineer		Copy	Min: 1-1/2 inches (1.50)	None	Required		669552 184343	633381 633361	
Embosser or Stamp									
Licensed Architect		Copy	Min: 1-1/2 inches (1.50)	None	Required		669552 184343	633381 633361 220661 220651	
Embosser or Stamp									
Firearm Instructor		Copy	15/16 x 2-1/2 inches (0.937 x 2.50)	Red	Not Required		184238 184329		
Stamp Only									





Utah		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Professional Structural Engineer		Copy	Min: 1-1/2 (1.50)	None	Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Professional Land Surveyor		Copy	Min: 1-1/2 (1.50)	None	Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								



Vermont VT		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary		Not Available	None	None	Not Required	1. Use of a stamp or embosser is optional 2. An information is allowed to be put on stamp or embosser	669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Rectangle Notary		Not Available	None	None	Not Required	1. Use of a stamp or embosser is optional 2. An information is allowed to be put on stamp or embosser	184315 184245 184203 184210 184238 184322	633371 633401
Embosser or Stamp								
Licensed Professional Engineer		Not Available	Max: 1-1/2 inches (1.50)	None	Required		669552 184343	633381 633361
Embosser or Stamp								
Licensed Land Surveyor		Copy	Exactly: 1-5/8 inches (1.625)	None	Not Required		184343	633381 633361
Embosser or Stamp								
Licensed Architect		Not Available	Exactly: 1-5/8 inches (1.625)	None	Required: As Shown		184343	633381 633361
Embosser or Stamp								


Virginia		VA	Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015		Stamps						Embossers	
Round Notary		Vendor Required	None	None	Not Required	1. Registration # on seal is optional but is recommended 2. "EXPIRES 00-00-0000" is optional 3. Seal is optional	669552 184343	633381 633361 220661 220651	
Round Notary		Vendor Required	None	None	Not Required	1. Seal is optional	669552 184343	633381 633361 220661 220651	
Rectangle Notary		Vendor Required	None	None	Not Required	1. "MY COMMISSION EXPIRES 00-00-0000" is optional 2. Seal is optional	184315 184245 184329 184203 184210 184238 184322	633371 633401	
Rectangle Notary		Vendor Required	None	None	Not Required	1. "MY COMMISSION EXPIRES MONTH DAY, YEAR" is optional 2. Seal is optional	184315 184245 184329 184203 184210 184238 184322	633371 633401	
Certified Landscape Architect		Vendor Required	Max: 2 inches (2.00)	None	Required: As Shown		PIEPR50	633381 633361 220661 220651	

Virginia VA		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Land Surveyor		Vendor Required	Max: 2 inches (2.00)	None	Required: As Shown	1. Use of a stamp or embosser is optional 2. Any information is allowed on stamp	PIEPR50	633381 633361 220661 220651
Embosser or Stamp								
Professional Engineer		Vendor Required	Max: 2 inches (2.00)	None	Required: As Shown	1. Use of a stamp or embosser is optional 2. Any information is allowed on stamp	PIEPR50	633381 633361 220661 220651
Embosser or Stamp								
Architect		Vendor Required	Max: 2 inches (2.00)	None	Required: As Shown		PIEPR50	633381 633361 220661 220651
Embosser or Stamp								






Virgin Islands VI Updated: 1-2015		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
							Stamps	Embossers
Round Notary Embosser Only		Vendor Required	None	None				633381 633361 220661 220651
Round Notary Embosser Only		Vendor Required	None	None				633381 633361 220661 220651




Washington WA		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary		Copy	Min: 1-5/8 inches (1.625)	None	Not Required	1. Minimum 8pt. font 2. Full last name is required 3. At least initials of first and middle names are required	184343	633381 633361 220661 220651
Embosser or Stamp								
Rectangle Notary		Copy	Min: 1 x 1-5/8 inches (1.00 x 1.625)	None	Not Required	1. Minimum 8pt. font 2. Full last name is required 3. At least initials of first and middle names are required	184210 184329	633371 633401
Embosser or Stamp								
Licensed Geologist		Copy	Max: 1-5/8 inches (1.625)	None	Required: As Shown		669552 184343	
Stamp Only								
Licensed Engineering Geologist		Copy	Max: 1-5/8 inches (1.625)	None	Required: As Shown		669552 184343	
Stamp Only								
Licensed Hydro Geologist		Copy	Max: 1-5/8 inches (1.625)	None	Required: As Shown		669552 184343	
Stamp Only								




Washington WA		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Registered Professional Engineer		Copy	Min: 1-3/4 inches (1.75) Max: 2 inches (2.00)	None	Required: As Shown		184343	220661 220651
Embosser or Stamp								
Registered Professional Land Surveyor		Copy	Min: 1-3/4 inches (1.75) Max: 2 inches (2.00)	None	Required: As Shown		184343	220661 220651
Embosser or Stamp								
Registered Architect		Copy	None	None	Required: As Shown		184343 666288 666224	633381 633361 220661 220651
Embosser or Stamp								
Wastewater Designer		Copy	Min: 1-3/4 inches (1.75) Max: 2 inches (2.00)	None	Required: As Shown		184343	220661 220651
Embosser or Stamp								
Fire Sprinkler Systems		Copy	Min: 1-1/2 x 2-3/8 in. (1.5 x 2.375) Max: 1-9/16 x 2-15/16 in (1.5625 x 2.9375)	Black	Required: As Shown	1. Helvetica or Arial font at 9 pt.; Bold font is optional 2. Max: 4 lines only. There needs to be 5 spaces from the end of # to the word "Level"	703723	
Stamp								

West Virginia WV		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary Embosser Only		Copy	None	None	Not Required	1. Embosser permitted, but must be used with a stamp		633381 633361 220661 220651
Rectangle Notary Stamp Only		Copy	Max: 1 x 2-1/2 inches (1.00 x 2.50)	None	Required: As Shown	1. Stamp must be rectangular	184245 184329 184210 184238 184322	
Licensed Professional Surveyor Embosser Only		Not Available	Max: 1-5/8 inches (1.625)	None	Required			633381 633361 220661 220651
Registered Professional Engineer Embosser or Stamp		Not Available	Max: 1-5/8 inches (1.625)	None	Required		184343	633381 633361 220661 220651
Architect Embosser or Stamp		Not Available	Max: 1-5/8 inches (1.625)	None	Required		184343	633381 633361 220661 220651

West Virginia WV		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Forester		Vendor Required	Max: 2 inches (2.00)	None	Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Landscape Architect		Vendor Required	Max: 1-5/8 inches (1.625)	None	Required			633381 633361
Embosser Only								

Wisconsin WI		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary		Not Available	None	None	Not Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Round Notary		Not Available	None	None	Not Required		669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Rectangle Notary		Not Available	None	None	Not Required		184315 184245 184203 184210 184238 184322	633371 633401
Embosser or Stamp								
Professional Engineer		Not Available	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Required	1. Text can be U/L or all CAPS	184343	633381 633361 220661 220651
Embosser or Stamp								
Architect		Not Available	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Required	1. Text can be U/L or all CAPS	184343	633381 633361 220661 220651
Embosser or Stamp								

Wisconsin WI		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Landscape Architect		Not Available	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Required	1. Text can be U/L or all CAPS	184343	633381 633361 220661 220651
Land Surveyor		Not Available	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Required	1. Text can be U/L or all CAPS	184343	633381 633361 220661 220651
Professional Geologist		Not Available	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Required	1. Text can be U/L or all CAPS	184343	633381 633361 220661 220651
Designer		Not Available	Min: 1-5/8 inches (1.625) Max: 2 inches (2.00)	None	Required	1. Text can be U/L or all CAPS	184343	633381 633361 220661 220651

Wyoming WY		Certificate Requirements	Size Requirements	Color Requirements	Border Requirements	State Notes & Recommendations	Available Item Numbers	
Updated: 1-2015							Stamps	Embossers
Round Notary		Vendor Required	Max: 2 inches (2.00)	None	Required: Milled	1. Can use state seal on round stamps and embossers	669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Rectangle Notary		Vendor Required	Max: 3/4 x 2-1/2 inches (0.75 x 2.50)	None	Required: Serrated or Milled		184245 184329 184210 184238 184322	633371 633401
Embosser or Stamp								
Professional Engineer		Vendor Required	Max: 1-3/4 inches (1.75)	None	Required	1. Can use state seal on round stamps and embossers	669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Professional Land Surveyor		Vendor Required	Max: 1-3/4 inches (1.75)	None	Required	1. Can use state seal on round stamps and embossers	669552 184343	633381 633361 220661 220651
Embosser or Stamp								
Licensed Architect		Vendor Required	Max: 1-3/4 inches (1.75)	None	Required	1. Can use state seal on embossers		633381 633361 220661 220651
Embosser Only								