

DOD Hazardous Materials Information System
DoD 6050.5-L
AS OF July 1998

FSC: 8510
NIIN: 00F054364
Manufacturer's CAGE: 17122
Part No. Indicator: A
Part Number/Trade Name: 462 METERED AEROSOL DEODORANTS

=====

General Information

=====

Item Name:
Company's Name: BIG D INDUSTRIES INC
Company's Street: 5620 S W 29TH ST
Company's P. O. Box: 82275
Company's City: OKLAHOMA CITY
Company's State: OK
Company's Country: US
Company's Zip Code: 73148
Company's Emerg Ph #: 405-556-0288/800-654-4752
Company's Info Ph #: 800-654-4752/405-682-2541
Distributor/Vendor # 1:
Distributor/Vendor # 1 Cage:
Distributor/Vendor # 2:
Distributor/Vendor # 2 Cage:
Distributor/Vendor # 3:
Distributor/Vendor # 3 Cage:
Distributor/Vendor # 4:
Distributor/Vendor # 4 Cage:
Safety Data Action Code:
Safety Focal Point: F
Record No. For Safety Entry: 001
Tot Safety Entries This Stk#: 001
Status: SE
Date MSDS Prepared: 11JUL95
Safety Data Review Date: 17SEP97
Supply Item Manager:
MSDS Preparer's Name:
Preparer's Company: BIG D INDUSTRIES INC
Preparer's St Or P. O. Box: 5620 S W 29TH ST
Preparer's City: OKLAHOMA CITY
Preparer's State: OK
Preparer's Zip Code: 73148
Other MSDS Number:
MSDS Serial Number: CFXVL
Specification Number:
Spec Type, Grade, Class:
Hazard Characteristic Code:
Unit Of Issue:
Unit Of Issue Container Qty:
Type Of Container:
Net Unit Weight:

Report for NIIN: 00F054364

NRC/State License Number:
Net Explosive Weight:
Net Propellant Weight-Ammo:
Coast Guard Ammunition Code:

=====

Ingredients/Identity Information

```

=====
Proprietary: NO
Ingredient: ETHANOL (ETHYL ALCOHOL), TECSOL, ALCOHOL, SYNASOL *97-2*
Ingredient Sequence Number: 01
Percent: 20-30
Ingredient Action Code:
Ingredient Focal Point: F
NIOSH (RTECS) Number: KQ6300000
CAS Number: 64-17-5
OSHA PEL: 1000 PPM
ACGIH TLV: 1000 PPM
Other Recommended Limit: 1900 MG/CUM
-----

```

```

Proprietary: NO
Ingredient: PROPANE (DIMETHYLMETHANE) *97-2*
Ingredient Sequence Number: 02
Percent: <35-45
Ingredient Action Code:
Ingredient Focal Point: F
NIOSH (RTECS) Number: TX2275000
CAS Number: 74-98-6
OSHA PEL: 1000 PPM
ACGIH TLV: 1000 PPM
Other Recommended Limit: 1800 MG/CUM
-----

```

```

Proprietary: NO
Ingredient: ISOBUTANE, 2-METHYLPROPANE
Ingredient Sequence Number: 03
Percent: <35-45
Ingredient Action Code:
Ingredient Focal Point: F
NIOSH (RTECS) Number: TZ4300000
CAS Number: 75-28-5
OSHA PEL: 1800 MG/CUM
ACGIH TLV: 1000 PPM
Other Recommended Limit: 1000 PPM
-----

```

```

Proprietary: NO
Ingredient: BUTANE, N-BUTANE *97-2*
Ingredient Sequence Number: 04
Percent: <35-45
Ingredient Action Code:
Ingredient Focal Point: F
NIOSH (RTECS) Number: EJ4200000
CAS Number: 106-97-8
OSHA PEL: 800 PPM
ACGIH TLV: 800 PPM

```

Report for NIIN: 00F054364

Other Recommended Limit: 800 PPM

```

-----
Proprietary: NO
Ingredient: KEROSENE (PETROLEUM), (C10-C15 SATURATED HYDROCARBONS 97%, C10
AROMATICS 3%) (SUSP ANIMAL CARCINOGEN BY IARC) *97-2*
Ingredient Sequence Number: 05
Percent: 25-35
Ingredient Action Code:
Ingredient Focal Point: F
NIOSH (RTECS) Number: OA5504000
CAS Number: 64742-47-8

```

OSHA PEL: 300 PPM
 ACGIH TLV: N/K
 Other Recommended Limit: 200 PPM EXXON

 Proprietary: NO
 Ingredient: AMYL ACETATE
 Ingredient Sequence Number: 06
 Percent: 0.2-2
 Ingredient Action Code:
 Ingredient Focal Point: F
 NIOSH (RTECS) Number: AJ1925000
 CAS Number: 628-63-7
 OSHA PEL: 100 PPM
 ACGIH TLV: 100 PPM
 Other Recommended Limit: 530 PPM

=====

Physical/Chemical Characteristics

=====

Appearance And Odor: VERY DRY SPRITZ W/VARIOUS FRAGRANCE ODORS.
 Boiling Point: N/K
 Melting Point: N/R
 Vapor Pressure (MM Hg/70 F): N/K
 Vapor Density (Air=1): >1
 Specific Gravity: 0.5508
 Decomposition Temperature: N/K
 Evaporation Rate And Ref: (N-BU AC =1): <1
 Solubility In Water: N/K
 Percent Volatiles By Volume: N/K
 Viscosity:
 pH: N/K
 Radioactivity:
 Form (Radioactive Matl):
 Magnetism (Milligauss):
 Corrosion Rate (IPY): N/K
 Autoignition Temperature:

=====

Fire and Explosion Hazard Data

=====

Flash Point: -50F
 Flash Point Method: TCC
 Lower Explosive Limit: 0.6
 Upper Explosive Limit: 19

Report for NIIN: 00F054364

Extinguishing Media: CO2, DRY CHEMICAL, FOAM.
 Special Fire Fighting Proc: WEAR A SELF CONTAINED AIR SUPPLY. KEEP
 CONTAINER COOL TO AVOID BURSTING.
 Unusual Fire And Expl Hazrds: EXPOSURE TO TEMPS >120F MAY CAUSE BURSTING.

=====

Reactivity Data

=====

Stability: YES
 Cond To Avoid (Stability): TEMPS >120F.
 Materials To Avoid: STRONG OXIDIZING AGENTS SUCH AS NITRIC ACID.
 Hazardous Decomp Products: BY BURNING: SMALL AMOUNTS OF CO &/CO2, TRACE
 AMOUNTS OF PHOSGENE.
 Hazardous Poly Occur: NO
 Conditions To Avoid (Poly): NONE

=====

Health Hazard Data

=====

LD50-LC50 Mixture:

Route Of Entry - Inhalation: YES

Route Of Entry - Skin: YES

Route Of Entry - Ingestion: YES

Health Haz Acute And Chronic: LOW ORDER OF TOXICITY. SKIN/EYES: MAY CAUSE IRRITATION. INGESTION: MAY CAUSE CHEMICAL PNEUMONIA IF ASPIRATED INTO LUNGS. FREQUENT/PROLONGED CONTACT MAY CAUSE KIDNEY & LIVER DAMAGE.

Carcinogenicity - NTP: NO

Carcinogenicity - IARC: YES

Carcinogenicity - OSHA: NO

Explanation Carcinogenicity: SEE INGREDIENTS.

Signs/Symptoms Of Overexp: IRRITATION, SHORTNESS OF BREATH, DIZZINESS, LIGHT HEADEDNESS.

Med Cond Aggravated By Exp: N/K

Emergency/First Aid Proc: SKIN/EYES: FLUSH REPEATEDLY W/WATER. INGESTION: GIVE LARGE AMOUNTS OF WATER. DON'T INDUCE VOMITING. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====

Precautions for Safe Handling and Use

=====

Steps If Matl Released/Spill: IF CONTAINER IS RUPTURED & BEGINS TO LEAK, PLACE IN A WELL VENTILATED AREA. REMOVE ALL IGNITION SOURCES. WASH AREA W/ SOAP & WATER. LARGE: SOAK UP W/INERT ABSORBENT MATERIAL SUCH AS SAND.

Neutralizing Agent: N/K

Waste Disposal Method: DISPOSE OF ABSORBENT MATERIAL IN A LANDFILL IAW/ FEDERAL, STATE & LOCAL REGULATIONS. DON'T INCINERATE.

Precautions-Handling/Storing: DON'T STORE NEAR HEAT, OPEN FLAME/TEMPS >120F. AVOID SKIN/EYE CONTACT.

Other Precautions: NONE

=====

Control Measures

=====

Respiratory Protection: NONE REQUIRED.

Ventilation: LOCAL EXHAUST/MECHANICAL (GENERAL): ADEQUATE.

Protective Gloves: RUBBER/PLASTIC

Eye Protection: SPLASH-PROOF SAFETY GOGGLES

Report for NIIN: 00F054364

Other Protective Equipment: EYE WASH & SHOWER FACILITY

Work Hygienic Practices: GOOD HOUSEKEEPING PRACTICES.

Suppl. Safety & Health Data: N/K

=====

Transportation Data

=====

Transportation Action Code:

Transportation Focal Point:

Trans Data Review Date:

DOT PSN Code:

DOT Symbol:

DOT Proper Shipping Name:

DOT Class:

DOT ID Number:

DOT Pack Group:

DOT Label:

DOT/DoD Exemption Number:

IMO PSN Code:

IMO Proper Shipping Name:

IMO Regulations Page Number:

IMO UN Number:

IMO UN Class:
 IMO Subsidiary Risk Label:
 IATA PSN Code:
 IATA UN ID Number:
 IATA Proper Shipping Name:
 IATA UN Class:
 IATA Subsidiary Risk Class:
 IATA Label:
 AFI PSN Code:
 AFI Symbols:
 AFI Prop. Shipping Name:
 AFI Class:
 AFI ID Number:
 AFI Pack Group:
 AFI Label:
 AFI Special Prov:
 AFI Basic Pac Ref:
 MMAC Code:
 N.O.S. Shipping Name:
 Additional Trans Data:

=====

Disposal Data

=====

Disposal Data Action Code:
 Disposal Data Focal Point:
 Disposal Data Review Date:
 Rec # For This Disp Entry:
 Tot Disp Entries Per NSN:
 Landfill Ban Item:
 Disposal Supplemental Data:
 1st EPA Haz Wst Code New:
 1st EPA Haz Wst Name New:

Report for NIIN: 00F054364

1st EPA Haz Wst Char New:
 1st EPA Acute Hazard New:
 2nd EPA Haz Wst Code New:
 2nd EPA Haz Wst Name New:
 2nd EPA Haz Wst Char New:
 2nd EPA Acute Hazard New:
 3rd EPA Haz Wst Code New:
 3rd EPA Haz Wst Name New:
 3rd EPA Haz Wst Char New:
 3rd EPA Acute Hazard New:

=====

Label Data

=====

Label Required:
 Technical Review Date:
 Label Date:
 MFR Label Number:
 Label Status:
 Common Name:
 Chronic Hazard:
 Signal Word:
 Acute Health Hazard-None:
 Acute Health Hazard-Slight:
 Acute Health Hazard-Moderate:
 Acute Health Hazard-Severe:
 Contact Hazard-None:

Contact Hazard-Slight:
Contact Hazard-Moderate:
Contact Hazard-Severe:
Fire Hazard-None:
Fire Hazard-Slight:
Fire Hazard-Moderate:
Fire Hazard-Severe:
Reactivity Hazard-None:
Reactivity Hazard-Slight:
Reactivity Hazard-Moderate:
Reactivity Hazard-Severe:
Special Hazard Precautions:
Protect Eye:
Protect Skin:
Protect Respiratory:
Label Name:
Label Street:
Label P.O. Box:
Label City:
Label State:
Label Zip Code:
Label Country:
Label Emergency Number:
Year Procured: