



2918 Agriculture Drive
Madison, WI 53718
Tel. 608 223-3577 800 436-8736
FAX 608 223-3575

Material Safety Data Sheet

Notebook Cleaning Kit

Prepared: 7/6/01

Supersedes: 9193

(substitute form OSHA-20)

This MSDS complies with 29 CFR 1910.1200 (The Hazard Communication Standard)

Emergency Phone No: (608) 223-3577

24 hr. Emergency No: (800) 424-9300 (Chem-trec)

Section I - Product Identification

Trade Name & Synonyms: Notebood Cleaning Kit Product Identification Number(s): ASP-30

Section II - Hazardous Components

Proprietary Information: 15%

Hazard Classification: None of these components are hazardous as defined by 29CFR1910.1200, OSHA's Hazard Communication Standard 2%

Other Ingredients: Water CAS# 7732-18-5 % (by vol.) 83%

Section III - Physical Data

Boiling Point: 212°F
Specific Gravity (H₂O = 1): 1
Vapor Pressure (MM Hg): Approximately 20
Percent Volatiles By Volume (%): Almost all
Vapor Density (Air = 1): Same as water (approximately 0.7)
Evaporation Rate (N-Butyl Acetate=1): Same as water (low)
Solubility in Water: Highly Soluble
Reactivity in Water: N/A
Appearance and Order: Milky white liquid, very little odor

Section IV - Fire & Explosion Data

Flash Point: N/A
Flammable Limits in Air % by Volume: Lower N/A, Upper N/A
Extinguishing Media: Water spray, dry chemical, carbon dioxide or foam as appropriate for surrounding fire and materials.
Auto Ignition Temperature: N/A
Special Fire Fighting Procedures: As with all fires, evacuate personnel to a safe area. Fire fighters should use self-contained breathing equipment and protective clothing.
Unusual Fire and Explosion Hazards: None Known.

Section V - Physical Hazard Data

Stability: Stable
Conditions to Avoid: Material is stable from a safety point of view.
Incompatibility (Materials to avoid): Oxidizing material may cause a reaction.
Hazardous Decomposition Products: Silicon dioxide, carbon dioxide, and traces of incompletely burned carbon products.
Hazardous Polymers: Will not occur.

Section VI - Health Hazard Data

Routes of Entry: Inhalation, skin, accidental ingestion, skin injection.
Threshold Limit Value: None established.
Signs and Symptoms of Overexposure: Liquid is largely inert in contact with the human system. It may cause mild eye irritation upon eye contact or upon injection into the eye. Care should be used in using this material with any

Medical Conditions	pressurized systems. Methyl Paraben can cause sensitization reactions and dermatitis in sensitive individuals.
Aggravated by Overexposure:	Hyper-sensitivity to the material.
Emergency and First Aid Procedures:	Upon eye or skin contact, flush affected area with water.
Carcinogenicity:	None reported by OSHA, IARC, or NTP

Section VII - Protective Equipment Information

Respiratory:	None required.
Ventilation:	Ventilation should be used to maintain exposure below the PEL and TLV.
Protective Gloves:	Rubber or vinyl gloves can be used if employees experience skin irritation.
Eye Protection:	Safety goggles should be worn when splash hazards are present.
Other:	Protect exposed skin. Appropriate laboratory apparel.

Section VIII - Spill or Leak Procedures
--

Precautions to be Taken in Handling and Storage: ensure	Keep from freezing. This material should be handled and stored per label and other instructions to product integrity.
Other Precautions:	Exercise care in using this material with any pressurized systems offering potential for eye or skin injection.
Steps to be Taken in Case Material is Spilled or Released:	Use absorbent material to collect and contain material for salvage or disposal.
Disposal Methods:	Dispose of waste in accordance with all applicable Federal, State, and Local Laws.

Notice:

The information accumulated herein is believed to be accurate but is not warranted to be, whether originating with *DOT MFG. & Aspect* or not. Recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances. Additionally, users are responsible to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling and disposal of the product, or from the reliance upon information contained herein. This information relates only to the product designated here, and does not relate to its use in combination with any other material or in any other process.

The information contained in this MSDS is being provided with the understanding that it will be used only for the purpose of safety and health evaluations by your company. Such use may include disclosure to third parties as required by law. Any other use is expressly prohibited. VIOLATIONS OF THE ABOVE UNDERSTANDING WILL BE PROSECUTED TO THE FULL EXTENT OF THE LAW.