

SHARP

MATERIAL SAFETY DATA SHEET (1/3)

Revised date: Dec. 15. 2004.

Issued date: Nov. 13. 1995

MSDS No.: B-1004

Section 1. Product Identification

Product Code: DUNT-433ASCZB, FO-26ND, FO-26DC Black Toner

Section 2. Supplier's Name and Address

Sharp Corporation

22-22 Nagaike-cho, Abeno-ku, Osaka, Japan

Local suppliers are listed below. Please contact the nearest supplier for additional information.

(Country)	(Name and Telephone Number)
U.S.A	Sharp Electronics Corporation Telephone number for information : 1-800-237-4277 Emergency telephone number : 1-800-255-3924
Canada	Sharp Electronics of Canada Ltd. Telephone number for information : 905-890-2100 Emergency telephone number : 1-800-424-9300
United Kingdom	Sharp Electronics (U. K.) Ltd. Telephone number for information : 01923-474013
Australia New Zealand	AUSTRALIA SHARP CORPORATION OF AUSTRALIA PTY. LTD.: (Phone) 02-9830-4600, 1800 807 820 NEW ZEALAND SHARP CORPORATION OF NEW ZEALAND LTD.: (Phone) 09-634-2059

Section 3. Composition / Information for Ingredients

Ingredients	Cas No.	Proportion	OSHA PEL	ACGIH TLV	Other Limits
Carbon black	1333-86-4	4.0%	3.5mg/m3	3.5mg/m3	None
Silica	68909-20-6	1.0%	80mg/m3	6.0mg/m3	None
Styrene acrylate copolymer	25767-47-9	90.5%	Not listed	Not listed	None
Organic pigment	109125-51-1 109125-50-0 84179-66-8	0.5%	Not listed	Not listed	None
Polypropylene	25085-53-4	1.5%	Not listed	Not listed	None
Polyethylene	9002-88-4	1.5%	Not listed	Not listed	None
Iron oxide	1317-61-9	1.0%	Not listed	Not listed	None

Section 4. Hazardous Identification

Toner is a fine, black powder possessing no immediate hazard. There are no anticipated carcinogenic effects from exposure based on animal tests performed using toner. When used as intended according to instructions, studies do not indicate any symptoms of fibrosis will occur.

Section 5 . Health Hazard Data

Route(s) of Entry :	Inhalation ?	Skin ?	Ingestion ?
	Yes	No	Possible but very unusual

Health Hazards : This material has been tested on "Acute oral toxicity" and "Ames test".
It does not represent a health hazard.

Carcinogenicity : In 1996 the IARC reevaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This classification is given to chemicals for which there is inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

SHARP

MATERIAL SAFETY DATA SHEET (2/3)

Revised date: Dec. 15. 2004.

Issued date: Nov. 13. 1995

MSDS No.: B-1004

Chronic Effect : In a study in rats of chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group, but no pulmonary change was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.

Signs and Symptoms of Exposure : Minimal irritation to respiratory tract may occur as with exposure to any nontoxic dust.

Medical Conditions Generally Aggravated by Exposure : None

Emergency and First Aid Procedure :

Inhalation : Remove to fresh air. If effects occur, consult medical personnel.

Eye : In case of contact, immediately flush eyes with water for 15 minutes.

Section 6. Physical Chemical Characteristics

Boiling/Melting Point	n.a.	Specific Gravity	1.1
Vapor Pressure	n.a.	Solubility in Water	Negligible
Vapor Density	n.a.	PH	n.a.
Evaporation Rate	n.a.	Viscosity	n.a.
Appearance	Fine powder	Color	Black
Odor	Odorless		

Section 7. Fire and Explosion Data

Flash Point (Method Used) : n.a.

Ignition Temperature: No data available

Flammable Limits : (LEL); n.a. (UEL); n.a.

Extinguishing Media : CO2, dry chemical, foam or water.

Special Fire fighting Procedure : None

Unusual Fire and Explosion Hazard : This material has no unusual fire or explosion hazards.

Sensitivity to Mechanical Impact : None

Sensitivity to Static Charge : None

Section 8. Reactivity data

Stability : Stable

Incompatibility (Materials to Avoid) : None

Hazardous Decomposition : CO and NOx.

Hazardous Polymerization : Will not occur.

Section 9. Precautions for Safe Handling and Use

Personal Protection Information (Respiratory, Eye Protection and Protective Glove) :

Use of a dust mask is recommended when handling a large quantity of toner or during long term exposure, as with any non-toxic dust.

Engineering Control / Ventilation : Not required.

Work / Hygienic Practice : Inhalation should be minimized as with any non-toxic dust.

Waste Disposal Method : Waste material may be dumped or incinerated under conditions which meet all federal, state and local environmental regulations.

Section 10. Regulatory Information

NFPA Rating (U.S.A.) : Health=1 Flammability=1 Reactivity=0

WHMIS Legislation (Canada) : This product is not a controlled product.

Transport Information : This product is not a hazardous material.

UN No. : None allocated.

Section 11. Other Information

Restrictions: This information relates only to the specific material designated as supplied by the manufacturer. This information is supplied to us by the manufacturer and Sharp offers no warranties as to its accuracy and accepts no responsibilities for any typographical errors which may appear on these sheets. It is the responsibility of the user to determine the suitability of this product for each particular use.

Reference: IARC (1996)

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 65, Printing Process and Printing inks, Carbon Black and Some Nitro Compounds, Lyon, pp-149-261

H. Muhle, B. Bellmann, O. Creutzenberg, C. Dasenbrock, H. Ernst, R. Kilpper, J. C. Mackenzie, P. Morrow, U. Mohr, S. Takenaka, and R. Mermelstein (1991) Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats. Fundamental and Applied Toxicology 17, pp. 280-299
