Canon

MSDS #: TC1091-0203

# MATERIAL SAFETY DATA SHEET

Product Code: 1557A / H11-6381

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product Name:** Canon FX3 Cartridge

**Product Code:** 1557A / H11-6381

**Manufacturer:** Canon Inc., 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, Ph# 03-3758-2111

**Supplier:** Canon USA, Inc., One Canon Plaza, Lake Success, NY, 11041, USA

**Phone # :** 1-800-OK-CANON 24 Hr. Emergency CHEMTREC # 1-800-424-9300

## SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

**< Ingredient(s) >**

| Chemical Name / Generic Name | CAS # / EC # | Weight % | EU Symbol/ R-Phrase | USA OSHA PEL | ACGIH TLV | EU ILV | DFG MAK |
|---|---|---|---|---|---|---|---|
| Styrene acrylate copolymer | Confidential | 40-50 | None/ None | Not established | Not established | Not established | Not established |
| Iron oxide | 1317-61-9/ 215-277-5 | 40-50 | None/ None | Not established | Not established | Not established | Not established |
| Amorphous Silica | 7631-86-9/ 231-545-4 | 1-2 | None/ None | 20 mppcf, 80 (mg/m$^3$)/%$SiO_2$ | 10 mg/m$^3$ (TWA) | Not established | 4 mg/m$^3$ (Inhalable fraction) |

**< Carcinogen >**

| Chemical Name | CAS # | Reference |
|---|---|---|
| No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC. | | |

## SECTION 3 HAZARDS IDENTIFICATION

**EU Classification:**

Not classified as dangerous.

**Emergency Overview:**

Black fine powder, slight plastic odor.

**Potential Health Effects and Symptoms:**

**Inhalation:**

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

**Ingestion:**

Practically non-toxic. Ingestion is a minor route of entry for intended use of this product.

**Eye:**

May cause transient slight irritation.

**Skin:**

May be non-irritant.

**Chronic Effects:**

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

**Medical Conditions Generally known to be Aggravated by Exposure:**

Not determined

## SECTION 4 FIRST AID MEASURES

**First Aid Measures:**

**Inhalation:**

If symptoms are experienced, move victim to fresh air and obtain medical advice.

**Ingestion:**

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

**Eye:**

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

**Skin:**

Wash with soap and water. If irritation persists, obtain medical advice.

**Note to Physicians:**

None

## SECTION 5 FIRE FIGHTING MEASURES

**Fire Fighting Measures:**

**Extinguishing Media:**

CO2, water, dry chemicals

**Unsuitable Extinguishing Media:**

None

**Special Fire Fighting Procedures:**

None

**Unusual Fire and Explosion Hazards:**

Can form explosive dust-air mixtures when finely dispersed in air.

**Fire and Explosive Properties (See also Section 9):**

**Hazardous Combustion Products:**

CO2, CO

**Other Properties:**

Not available

## SECTION 6 ACCIDENTAL RELEASE MEASURES

**Personal Precautions:**

Avoid breathing dust.

**Environmental Precautions:**

Do not wash away into sewer.

**Method for Cleaning Up:**

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.
If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

## SECTION 7 HANDLING AND STORAGE

**Handling:**

Avoid breathing dust.
Use with adequate ventilation.

**Storage:**

Keep out of the reach of children.
Keep away from oxidizing materials.

**Specific Uses:**

Toner for electrophotographic apparatus.
For more information, please refer to the instruction of this product.

## SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure Guidelines:**

USA OSHA PEL (TWA): 15 mg/m$^3$ (Total dust), 5 mg/m$^3$ (Respirable fraction)
ACGIH TLV (TWA): 10 mg/m$^3$ (Inhalable fraction), 3 mg/m$^3$ (Respirable fraction)
DFG (MAK): 4 mg/m$^3$ (Inhalable fraction), 1.5 mg/m$^3$ (Respirable fraction)
(Also refer to SECTION 2)

**Engineering Controls:**

Use adequate ventilation.

**Personal Protection Equipment(s):**

**Respiratory Protection:** ☐ Required ☒ Not Required

**Eye/Face Protection:** ☐ Required ☒ Not Required

**Skin Protection:** ☐ Required ☒ Not Required

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|---|
| **Appearance:** | Black fine powder |
| **Odor:** | Slight plastic odor |
| **pH:** | Not applicable |
| **Boiling Point/Range(°C):** | Not applicable |
| **Melting Point/Range(°C):** | 100-150 (Softening point) |
| **Decomposition Temperature(°C):** | > 200 |
| **Flash Point(°C):** | Not applicable |
| **Flammable (Explosive) Limits:** | Not applicable |
| **Autoignition Temperature(°C):** | Not available |
| **Flammability:** | Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids)) |
| **Explosive Properties:** | Can form explosive dust-air mixtures when finely dispersed in air. |
| **Oxidizing Properties:** | Not available |
| **Vapor Pressure:** | Not applicable |
| **Vapor Density:** | Not applicable |
| **Density / Specific Gravity:** | 1.4-1.8 |
| **Water Solubility:** | Negligible |
| **Fat Solubility:** | Partially soluble in toluene and xylene. |
| **Partition Coefficient (n-Octanol/Water):** | Not applicable |
| **Percent Volatile:** | Negligible |
| **Evaporation Rate:** | Not applicable |
| **Viscosity (mPa s):** | Not applicable |

Canon

# MATERIAL SAFETY DATA SHEET

## SECTION 10 STABILITY AND REACTIVITY

**Stability:** ☒ Stable ☐ Unstable

**Conditions to Avoid:** None

**Materials to Avoid:** Strong oxidizers

**Hazardous Decomposition Products:** CO, CO2

**Hazardous Polymerization:** ☐ May Occur ☒ Will Not Occur

**Conditions to Avoid:** None

## SECTION 11 TOXICOLOGICAL INFORMATION

**Acute Toxicity:**

**Inhalation:**
Not available

**Ingestion:**
Rat, LD50 > 5000 mg/kg (Estimate)

**Eye:**
Rabbit, transient slight conjunctival irritation only. (Estimate)

**Skin:**
Rabbit, non-irritant (Estimate)

**Sensitization:**
Guinea pig, skin: Non-sensitizing

**Mutagenicity:**
Ames Test (S. typhimurium, E. coli): Negative (Estimate)

**Reproductive Toxicity:**
Not available

**Carcinogenicity:**
Not available

**Others:**
Chronic effects:
Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 $mg/m^3$ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 $mg/m^3$, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 $mg/m^3$. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Canon

# MATERIAL SAFETY DATA SHEET

## SECTION 12 ECOLOGICAL INFORMATION

**Mobility:** Not available

**Persistence / Degradability:** Not available

**Bioaccumulation:** Not available

**Ecotoxicity:** Not available

**Other Adverse Effects:** Not available

## SECTION 13 DISPOSAL CONSIDERATIONS

**Method of Disposal:**

DO NOT put toner or toner container into fire; heated toner may cause severe burns. DO NOT shred a toner container, unless dust-explosion preventing measures are taken. Finely dispersed particles form explosive mixtures in air. Disposal should be subject to federal, state and local laws.

## SECTION 14 TRANSPORT INFORMATION

**UN #:** 2807

**UN Shipping Name:** Magnetized material

**UN Classification:** 9

**UN Packing Group:** None

**Marine Pollutant:** ☐ Yes Chemical name (wt%):
☒ No

**Special Precautions:** 57 or more of these products shipped together, by air, are regulated as magnetized material.

## SECTION 15 REGULATORY INFORMATION

**< EU Information >**

**Information on the Label:**

**Symbol & Indication:** Not required

**R-Phrase:**
Not required

**S-Phrase:**
Not required

**Dangerous Component(s):**
None

**Special Precautions under 1999/45/EC Annex V:**
Not required

**Specific Provisions in Relation to Protection of Man or the Environment:**

**76/769/EEC:** Not regulated

**(EC)2037/2000:** Not regulated

**(EC)304/2003:** Not regulated

**Others:** None

**< USA Information >**

**Information on the Label:**

**Signal Word:** Not required

**Hazard warning:**
Not required

**Safety Advice:**
Not required

**Hazardous Component(s):**
None

**SARA Title III §313:**

| Chemical Name | Weight % |
|---|---|
| None | |

**California Proposition 65:**

| Chemical Name | Weight % |
|---|---|
| None | |

**< Canada Information >**

**WHMIS Controlled Product:** Not applicable (Manufactured article)

**< Australia Information >**

**Statement of Hazardous Nature:** Not classified as hazardous according to criteria of NOHSC.

## SECTION 16 OTHER INFORMATION

Revised information from the previous version: Section 11

Estimate: Estimate based on test data on similar toner/developer/drum and/or the raw materials of this product.

Literature Reference:
- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Abbreviations:
EU: European Union.
OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).
ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.
EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.
DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.
TWA: Time Weighted Average.
STEL: Short Term Exposure Limit.
IARC: International Agency for Research on Cancer.
NTP: National Toxicology Program (USA).
OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).
FHSA: Federal Hazardous Substances Act (USA).
WHMIS: Workplace Hazardous Materials Information System.
NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.
NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.