



MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identification of the preparation **51649 Series**

Use of the preparation Inkjet printing

Manufacturer information Hewlett-Packard Company
1000 NE Circle Boulevard
Corvallis, OR 97330-4239 US

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199

General information telephone number

HP Customer Care Line 1-800-474-6836

(Toll-free) 1-800-474-6836

(Direct) 1-208-323-2551

Revision date 12-12-2004

MSDS number 16250

2. COMPOSITION / INFORMATION ON INGREDIENTS

Component/Substance	CAS Number	% By Weight
Cyan ink		
Water	7732-18-5	< 70
1,5-pentanediol	111-29-5	< 10
2-pyrrolidone	616-45-5	< 7.5
Ethyl alkylidol	Proprietary	< 7.5
Metal nitrate #2	Proprietary	< 7.5
Substituted phthalocyanine salt #2	Proprietary	< 2.5
Alkylidol ethoxylate	Proprietary	< 2.5
Substituted triphenylmethane salt #1	Proprietary	< 2.5
Magenta ink		
Water	7732-18-5	< 70
1,5-pentanediol	111-29-5	< 10
2-pyrrolidone	616-45-5	< 7.5
Ethyl alkylidol	Proprietary	< 7.5
Metal nitrate #2	Proprietary	< 7.5
Substituted naphthalenesulfonate salt #10	Proprietary	< 5
Alkylidol ethoxylate	Proprietary	< 2.5



MATERIAL SAFETY DATA SHEET

Component/Substance	CAS Number	% By Weight
Yellow ink		
Water	7732-18-5	< 80
Ethyl alkylidol	Proprietary	< 10
Metal nitrate #1	Proprietary	< 7.5
2-pyrrolidone	616-45-5	< 5
Diethylene glycol	111-46-6	< 5
Arylazopyrazolesulfonate salt #1	Proprietary	< 5
Alkylidol ethoxylate	Proprietary	< 2.5
Composition comments	This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).	

3. HAZARDS IDENTIFICATION

Emergency Overview	Contact with skin and eyes may result in irritation.
Acute Health Effects	Any potential hazards are presumed to be due to exposure to the components.
Skin contact	<i>1,5-pentanediol</i> Contact with skin may result in irritation. <i>2-pyrrolidone</i> Contact with skin may result in irritation. <i>Alkylidol ethoxylate</i> Contact with skin may result in severe irritation. <i>Ethyl alkylidol</i> Contact with skin may result in mild irritation. <i>Metal nitrate #1</i> Contact with skin may result in irritation. <i>Metal nitrate #2</i> Contact with skin may result in irritation. <i>Substituted naphthalenesulfonate salt #10</i> May cause sensitization by skin contact. <i>Substituted triphenylmethane salt #1</i> Contact with skin may result in irritation.



MATERIAL SAFETY DATA SHEET

Eye contact

1,5-pentanediol

Contact with eyes may result in irritation.

2-pyrrolidone

Contact with eyes may result in irritation.

Alkyldiol ethoxylate

Contact can cause moderate to severe irritation and possible injury to the eyes.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Metal nitrate #1

Contact with eyes may result in irritation.

Metal nitrate #2

Contact with eyes may result in irritation.

Substituted naphthalenesulfonate salt #10

Risk of serious damage to eyes.

Substituted triphenylmethane salt #1

Contact with eyes may result in irritation.

Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation.

Metal nitrate #1

Inhalation may result in respiratory irritation.

Metal nitrate #2

Inhalation may result in respiratory irritation.



MATERIAL SAFETY DATA SHEET

Ingestion

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Alkyldiol ethoxylate

Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Arylazopyrazolesulfonate salt #1

Toxic if swallowed.

Diethylene glycol

Harmful if swallowed. May cause kidney and liver damage. May depress the central nervous system.

Metal nitrate #1

Contains nitrate salts, may cause methemoglobinemia.

Metal nitrate #2

Contains nitrate salts, may cause methemoglobinemia.

Substituted phthalocyanine salt #2

Harmful if swallowed.

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation.

Chronic health effects

Cyan ink:

Substituted phthalocyanine salt: Prolonged ingestion exposure may cause serious damage to health.

Yellow ink:

Arylazopyrazolesulfonate salt: Prolonged ingestion exposure may cause serious damage to health.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

4. FIRST AID MEASURES

First aid procedures

Eye

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.

Inhalation

Remove to fresh air. If symptoms persist, get medical attention.

Ingestion

If ingestion of a large amount does occur, seek medical attention.



MATERIAL SAFETY DATA SHEET

5. FIRE FIGHTING MEASURES

Flash point and method	> 93.3 °C (> 200 °F); Pensky-Martens Closed Cup
Hazardous combustion products	Refer to section 10.
Extinguishing media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	None known.
Unusual fire and explosion hazard	None known.
Special firefighting procedures	None established.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Wear appropriate personal protective equipment.
Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
Procedures if material is released or spilled	Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling	Avoid contact with skin, eyes and clothing.
Storage	Keep out of the reach of children. Keep away from excessive heat or cold.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limit values	Exposure limits have not been established for this product.
Personal protective equipment	
General	Use personal protective equipment to minimize exposure to skin and eye.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Exposure guidelines	Use in a well ventilated area.

9. PHYSICAL & CHEMICAL PROPERTIES

pH	6.1 - 8.4
Vapor pressure	Not determined
Boiling point	Not determined
Solubility	Soluble in water
Specific gravity	1 - 1.2
VOC content	< 3 %
Flash point	> 93.3 °C (> 200 °F)
Viscosity	> 2 cp
Vapor density	> 1 (air = 1.0)



MATERIAL SAFETY DATA SHEET

Evaporation rate	Not determined
Flammability	Not determined
Oxidizing properties	Not determined
Color	Cyan, magenta, yellow

10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Stability	Stable under recommended storage conditions.
Hazardous polymerization	Will not occur.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Incompatibility	Incompatible with strong bases and oxidizing agents.

11. TOXICOLOGICAL INFORMATION

Complete toxicity data are not available for this specific formulation.
Refer to Section 3 for potential health effects and Section 4 for first aid measures.

Eye irritation

Magenta ink
Mild irritant in rabbit (OECD 405)

Sensitization

Magenta ink
Non - sensitizer in guinea pig (OECD 406)

Oral toxicity

Yellow ink
LD50/oral/rat >2500 mg/kg (OECD 423)

12. ECOLOGICAL INFORMATION

Aquatic toxicity

Cyan ink
LC50/96h/Fathead minnows =< 400 mg/L
Static acute toxicity (trout), survival (100 mg/L) = 67%
Static acute toxicity (trout), survival (10 mg/L) = 100%

Magenta ink
LC50/96h/Fathead minnows =< 400 mg/L
Static acute toxicity (trout), survival (100 mg/L) = 100%
Static acute toxicity (trout), survival (10 mg/L) = 100%

Yellow ink
LC50/96h/Fathead minnows =< 400 mg/L
Static acute toxicity (trout), survival (100 mg/L) = 23%
Static acute toxicity (trout), survival (10 mg/L) = 93%



MATERIAL SAFETY DATA SHEET

13. DISPOSAL CONSIDERATIONS

Disposal instructions Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. TRANSPORTATION INFORMATION

General Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.

IATA

Proper shipping name Not applicable
Hazard class Not applicable
Packaging exceptions None
Identification number (UN) None
Packing group N/A

15. REGULATORY INFORMATION

International regulations All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

US federal regulations US TSCA 12(b): Does not contain listed chemicals.

HMIS ratings

Health	1
Flammability Classification	1
Reactivity	0

NFPA ratings

Health	1
Flammability Classification	1
Reactivity	0

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 Extremely Hazardous Substance No

Section 311 Hazardous Chemical No

Hazard categories

- Immediate Hazard - No
- Delayed Hazard - No
- Fire Hazard - No
- Pressure Hazard - No
- Reactivity Hazard - No

16. OTHER INFORMATION

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).



MATERIAL SAFETY DATA SHEET

Issue date 12-12-2004

Revision 2

Replaces sheet dated 10-06-2004

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

MSDS Sections Updated

Chemical Product and Company Identification: Alternate Trade Names - SKU Numbers

Composition / Information on Ingredients: Ingredient Extensions

Physical & Chemical Properties: Material Properties

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds