

MATERIAL SAFETY DATA SHEET

Page 1 of 4

MSDS # 26941

PLEDGE® AEROSOL - LEMON

Date Issued: 06Aug2003

Supersedes: New

US MANUFACTURER:

S.C. Johnson & Son, Inc.
Phone: (800) 725-6737
Racine, Wisconsin 53403-2236
Emergency Phone: (888) 779-7920
International Emergency Phone:
(262) 886-1480

CANADIAN MANUFACTURER:

S.C. Johnson and Son, Limited
Phone: (800) 725-6737
1 Webster Street
Brantford, Ontario N3T 5R1
Transportation Emergency:
CANUTEC (collect) (613) 996-6666
Poison Control: (888) 779-7920

HAZARD RATING	HMIS	HAZARD	NFPA
4-Very High	0	Health	0
3-High	4	Flammability	4
2-Moderate	0	Reactivity	0
1-Slight		Special	
0-Insignificant			

DISTRIBUTED IN CANADA BY:
S.C. Johnson and Son, Limited
Phone: (800) 725-6737
1 Webster Street
Brantford, Ontario N3T 5R1

SECTION 1 - PRODUCT IDENTIFICATION

PRODUCT NAME..... PLEDGE® AEROSOL - LEMON
REASON FOR CHANGE..... New.
PRODUCT USE..... Furniture care

SECTION 2 - INGREDIENT INFORMATION

INGREDIENT	WEIGHT%	EXPOSURE LIMIT/TOXICITY
Isoparaffinic Hydrocarbon Solvent.....	5-10	NOT ESTABLISHED
Silicones.....	7-13	NOT ESTABLISHED
Hydrocarbon propellant blend.....	7-13	1000 ppm ACGIH/OSHA TWA
Water (CAS# 7732-18-5).....	75-100	NOT ESTABLISHED

SECTION 3 - HEALTH HAZARDS IDENTIFICATION (Also See Section 11)

ROUTE(S) OF ENTRY..... Skin contact. Ingestion.
EFFECTS OF ACUTE EXPOSURE:
EYE..... May cause: Sensation of irritation.
SKIN..... None known.
INHALATION..... None known.
INGESTION..... Aspiration into the lungs may cause severe health effects.
MEDICAL CONDITIONS..... None known.
GENERALLY RECOGNIZED
AS BEING AGGRAVATED
BY EXPOSURE

SECTION 4 - FIRST AID MEASURES

EYE CONTACT..... Rinse with plenty of water.
SKIN CONTACT..... Wash contaminated area with water and soap.
INHALATION..... Remove to fresh air.
INGESTION..... Immediately drink 1-2 glasses of water or milk. Seek immediate medical attention.

SECTION 5 - FIRE AND EXPLOSION INFORMATION

FLASH POINT..... < 20°F (< -7°C) (TCC) (propellant)

MATERIAL SAFETY DATA SHEET

Page 2 of 4

MSDS # 26941

PLEDGE® AEROSOL - LEMON

Date Issued: 06Aug2003

Supersedes: New

----- SECTION 5 - FIRE AND EXPLOSION INFORMATION (continued) -----

FLAMMABLE LIMITS.....	Not available.
AUTOIGNITION.....	Not applicable.
TEMPERATURE	
EXTINGUISHING MEDIA....	Foam. CO2. Dry chemical. Water fog.
SPECIAL FIREFIGHTING... PROCEDURES	Fight fire from maximum distance or protected area. Cool and use caution when approaching or handling fire-exposed containers. Fire fighters should wear self-contained breathing apparatus and protective clothing.
UNUSUAL FIRE AND..... EXPLOSION HAZARDS	Aerosol product - Containers may rocket or explode in heat of fire.

----- SECTION 6 - PREVENTIVE RELEASE MEASURES -----

STEPS TO BE TAKEN IN... CASE MATERIAL IS RELEASED OR SPILLED	Eliminate all ignition sources. Absorb with oil-dri or similar inert material. Sweep or scrape up and containerize. Rinse affected area thoroughly with water.
--	--

----- SECTION 7 - HANDLING AND STORAGE -----

PRECAUTIONARY..... INFORMATION	CAUTION: FLAMMABLE: Contains: petroleum distillate. CONTENTS UNDER PRESSURE. Do not use near open fire, flames or heat. Do not puncture or incinerate. Do not store at temperatures above 120 °F (50 °C). Do not spray or use on floors. Keep out of reach of children.
OTHER HANDLING AND..... STORAGE CONDITIONS	Store in a cool, dry place with adequate ventilation. Keep from freezing.

----- SECTION 8 - SPECIAL PROTECTION INFORMATION -----

RESPIRATORY PROTECTION.	No special requirements under normal use conditions.
VENTILATION.....	No special requirements.
PROTECTIVE GLOVES.....	No special requirements under normal use conditions.
EYE PROTECTION.....	No special requirements under normal use conditions.
OTHER PROTECTIVE..... MEASURES	No special requirements.

----- SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES -----

COLOR.....	White
PRODUCT STATE.....	Dispensed as a spray mist.
ODOR.....	Lemon
pH.....	Not applicable.
ODOR THRESHOLD.....	Not available.
SOLUBILITY IN WATER....	Negligible
SPECIFIC GRAVITY..... (H2O=1)	0.919
VISCOSITY.....	7000 (C.P.S.)
VAPOR DENSITY (AIR=1)..	Not available.
EVAPORATION RATE (BUTYL ACETATE=1)	Not available.
VAPOR PRESSURE (mm HG).	Not available.
BOILING POINT.....	100°C (212°F)
FREEZING POINT.....	0°C (32°F)
COEFFICIENT OF..... WATER/OIL	Not available.

MATERIAL SAFETY DATA SHEET

Page 3 of 4

MSDS # 26941

PLEDGE® AEROSOL - LEMON

Date Issued: 06Aug2003

Supersedes: New

----- SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES (continued) -----

PERCENT VOLATILE BY.... > 90
VOLUME (%)
VOLATILE ORGANIC..... Not available.
COMPOUND (VOC)
THEORETICAL VOC..... Not available.
(LB/GAL)

----- SECTION 10 - STABILITY AND REACTIVITY -----

STABILITY..... Stable
STABILITY - CONDITIONS. Not applicable.
TO AVOID
INCOMPATIBILITY..... No special requirements.
HAZARDOUS DECOMPOSITION No special requirements.
PRODUCTS
HAZARDOUS..... Will not occur.
POLYMERIZATION
HAZARDOUS..... Not applicable.
POLYMERIZATION -
CONDITIONS TO AVOID

----- SECTION 11 - TOXICOLOGY INFORMATION (Also See Section 3) -----

LD50 (ACUTE ORAL TOX).. Not available.
LD50 (ACUTE DERMAL TOX) Not applicable.
LC50 (ACUTE INHALATION. Not applicable.
TOX)
EFFECTS OF CHRONIC.... None known.
EXPOSURE
SENSITIZATION..... None known.
CARCINOGENICITY..... None known.
REPRODUCTIVE TOXICITY.. None known.
TERATOGENICITY..... None known.
MUTAGENICITY..... None known.

----- SECTION 12 - ECOLOGICAL INFORMATION -----

ENVIRONMENTAL DATA.... Not available.

----- SECTION 13 - DISPOSAL CONSIDERATIONS -----

WASTE DISPOSAL..... If possible, recycle empty aerosol can to nearest steel
INFORMATION recycling center. Use up package or give to someone who can.

----- SECTION 14 - TRANSPORTATION INFORMATION -----

US DOT INFORMATION.... Please refer to the Bill of Lading/receiving documents for
up-to-date shipping information.
CANADIAN SHIPPING NAME. PLEDGE® AEROSOL - LEMON
TDG CLASSIFICATION.... Not applicable.
PIN/NIP..... Not applicable.
PACKING GROUP..... Not applicable.
EXEMPTION NAME..... Consumer commodity