

Test Report

No. SH7129625/ CHEM

Date: Nov. 5, 2007

Page 1 of 1

Client's name 客户名称
Client's address 客户地址

WENZHOU CHUANHAO STATIONERY CO., LTD
Yutian Small Area Longwen
Eco.Tech.Dev.z.wenzhou China

SGS Ref No.
Product Name 产品名称:
End Uses 最终用途
Composition/Ingredient 成份/原料

SHD2713376
black leads for mechanical pencils
mechanical pencils
Graphite (36%), vinyl chloride - vinyl acetate
copolymer (19.4%), methyl methacrylate (6.7%),
silicone oil (11%), stearyl alcohol (0.6%),
magnesium stearate (0.6%), bis(2-
ethylhexyloxycarbonbonylmethyl-
thio)dibutylstannane (0.6%), methyl isobutyl ketone
(8.3%), methyl ethyl ketone (5.6%), dibutyl phthalate
(5.6%), Paraffin oils (5.6%).

Job Receiving Date 收到日期:
Preparation Period 准备时期:

Oct.30, 2007
Oct.30- Nov.2, 2007

Service Requested 所需服务

Material Safety Data Sheet for the Product 化学品安全技术说明书

SUMMARY 摘要

The contents and format of this MSDS/SDS are in accordance with REGULATION (EC) No 1907/2006, EU Commission Directive 1999/45/EC, 67/548/EEC. 本化学品安全技术说明书的内容和格式根据欧共体 REGULATION (EC) No 1907/2006, 1999/45/EC 及 67/548/EEC 编写而成。

Signed for and on behalf of
SGS-CSTC Chemical Laboratory

Ella Zhang
Sr. Section Head

Signed for and on behalf of
SGS-CSTC Chemical Laboratory

Sandy Hao
Lab Manager

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.

Safety Data Sheet

Printing date 01.11.2007

Revision: 31.10.2007

1 Identification of the substance/preparation and of the company/undertaking

- **Product details**
- **Trade name:** *black leads for mechanical pencils*
- **Registration number** Not available
- **Application of the substance / the preparation** mechanical pencils
- **Manufacturer/Supplier:**
WENZHOU CHUANHAO STATIONERY CO., LTD
Yutian Small Area Longwen Eco.Tech.Dev.z.wenzhou China
Tel: 0577-86558626
Fax: 0577-86558768
- **Further information obtainable from:** WENZHOU CHUANHAO STATIONERY CO., LTD
- **Information in case of emergency:**
xue yan, Hu
MP: 13958896723
- **Email** shilly128@sina.com
- **Reference Number:** SHD2713376; SH7129625/CHEM

2 Hazards identification

- **Hazard description:**



T Toxic

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 61 May cause harm to the unborn child.

R 36 Irritating to eyes.

R 43 May cause sensitisation by skin contact.

R 62 Possible risk of impaired fertility.

- **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

3 Composition/information on ingredients

- **Chemical characterization**

- **Description:**

Mixture of substances listed below with nonhazardous additions.

For the wording of the listed risk phrases refer to section 16.

- **Dangerous components:**

CAS: 63148-62-9	silicone oil	Xi; R 36	11,0%
CAS: 108-10-1 EINECS: 203-550-1 EU Number: 606-004-00-4	4-methylpentan-2-one	Xn, Xi, F; R 11-20-36/37-66	8,3%
CAS: 80-62-6 EINECS: 201-297-1 EU Number: 607-035-00-6	methyl methacrylate	Xi, F; R 11-37/38-43	6,7%
CAS: 78-93-3 EINECS: 201-159-0 EU Number: 606-002-00-3	butanone	Xi, F; R 11-36-66-67	5,6%
CAS: 84-74-2 EINECS: 201-557-4 EU Number: 607-318-00-4	dibutyl phthalate	Repr. Cat. 2, 3; T, N; R 61-62-50	5,6%

(Contd. on page 2)

-EU-

Safety Data Sheet

Printing date 01.11.2007

Revision: 31.10.2007

Trade name: black leads for mechanical pencils

(Contd. of page 1)

· Non-dangerous component:

CAS: 7782-42-5 EINECS: 231-955-3	Graphite	36,0%
CAS: 9003-22-9	vinyl chloride - vinyl acetate copolymer	19,4%
CAS: 8012-95-1 EINECS: 232-384-2	Paraffin oils	5,6%
CAS: 112-92-5 EINECS: 204-017-6	octadecan-1-ol	0,6%
CAS: 577-04-0	magnesium stearate	0,6%
CAS: 25168-24-5 EINECS: 246-703-8	bis(2-ethylhexyloxycarbonbonylmethyl-thio)dibutylstannane	0,6%

· Remark:

octadecan-1-ol (CAS No.112-92-5)

Synonym: stearyl alcohol

4-methylpentan-2-one (CAS No. 108-10-1)

Synonym: methyl isobutyl ketone

butanone (CAS No. 78-93-3)

Synonym: methyl ethyl ketone

4 First aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

5 Fire-fighting measures

· Suitable extinguishing agents:
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
· Protective equipment:

Wear fully protective suit.

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

6 Accidental release measures

· Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.

· Measures for environmental protection:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Measures for cleaning/collecting: Dispose contaminated material as waste according to item 13.

7 Handling and storage

· Handling:
· Information for safe handling: Open and handle receptacle with care.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

(Contd. on page 3)

Safety Data Sheet

Printing date 01.11.2007

Revision: 31.10.2007

Trade name: black leads for mechanical pencils

(Contd. of page 2)

Keep respiratory protective device available.

- **Storage:**

- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.

- **Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from flammable substances.

- **Further information about storage conditions:** Keep container tightly sealed.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **Ingredients with limit values that require monitoring at the workplace:**

7782-42-5 Graphite

PEL (USA)	15 mppcf mg/m ³
REL (USA)	2,5* mg/m ³
	*respirable dust
TLV (USA)	2 R mg/m ³
	all forms except graphite fibers

108-10-1 4-methylpentan-2-one

IOELV (EU)	Short-term value: 208 mg/m ³ , 50 ppm Long-term value: 83 mg/m ³ , 20 ppm
WEL (Great Britain)	Short-term value: 416 mg/m ³ , 100 ppm Long-term value: 208 mg/m ³ , 50 ppm
	Sk
PEL (USA)	410 mg/m ³ , 100 ppm
REL (USA)	Short-term value: 300 mg/m ³ , 75 ppm Long-term value: 205 mg/m ³ , 50 ppm
TLV (USA)	Short-term value: 307 mg/m ³ , 75 ppm Long-term value: 205 mg/m ³ , 50 ppm
	BEI

80-62-6 methyl methacrylate

WEL (Great Britain)	Short-term value: 416 mg/m ³ , 100 ppm Long-term value: 208 mg/m ³ , 50 ppm
PEL (USA)	410 mg/m ³ , 100 ppm
REL (USA)	410 mg/m ³ , 100 ppm
TLV (USA)	Short-term value: 410 mg/m ³ , 100 ppm Long-term value: 205 mg/m ³ , 50 ppm
	SEN

78-93-3 butanone

IOELV (EU)	Short-term value: 900 mg/m ³ , 300 ppm Long-term value: 600 mg/m ³ , 200 ppm
WEL (Great Britain)	Short-term value: 899 mg/m ³ , 300 ppm Long-term value: 600 mg/m ³ , 200 ppm
	Sk
PEL (USA)	590 mg/m ³ , 200 ppm
REL (USA)	Short-term value: 885 mg/m ³ , 300 ppm Long-term value: 590 mg/m ³ , 200 ppm
TLV (USA)	Short-term value: 885 mg/m ³ , 300 ppm Long-term value: 590 mg/m ³ , 200 ppm
	BEI

84-74-2 dibutyl phthalate

WEL (Great Britain)	Short-term value: 10 mg/m ³ Long-term value: 5 mg/m ³
PEL (USA)	5 mg/m ³
REL (USA)	5 mg/m ³
TLV (USA)	5 mg/m ³

(Contd. on page 4)

Safety Data Sheet

Printing date 01.11.2007

Revision: 31.10.2007

Trade name: black leads for mechanical pencils

(Contd. of page 3)

- **DNELs** Not available
- **PNECs** Not available
- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing
 - Wash hands before breaks and at the end of work.
 - Store protective clothing separately.
 - Avoid contact with the eyes.
 - Avoid contact with the eyes and skin.
- **Respiratory protection:**
 - In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

General Information

Form:	Solid
Colour:	Black
Odour:	Odourless

- **Change in condition**

Melting point/Melting range:	Not available
Boiling point/Boiling range:	Not available

· Flash point:	Not available
-----------------------	---------------

· Flammability (solid, gaseous):	Not available
---	---------------

· Ignition temperature:	Not available
--------------------------------	---------------

· Self-igniting:	Product is not selfigniting.
-------------------------	------------------------------

· Danger of explosion:	Product does not present an explosion hazard.
-------------------------------	---

(Contd. on page 5)

Safety Data Sheet

Printing date 01.11.2007

Revision: 31.10.2007

Trade name: black leads for mechanical pencils

(Contd. of page 4)

· Explosion limits:	
Lower:	Not available
Upper:	Not available
· Oxidizing properties	Not available
· Vapour pressure:	Not available
· Density:	1,909 g/cm ³
· Relative density	Not available
· Vapour density	Not available
· Evaporation rate	Not available
· Solubility in / Miscibility with water:	Insoluble.
· pH-value:	5,5
· Segregation coefficient (n-octanol/water):	Not available
· Viscosity:	
Dynamic:	Not available

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Dangerous reactions** No dangerous reactions known.
- **Dangerous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Acute toxicity:**

- **LD/LC50 values relevant for classification:**

84-74-2 dibutyl phthalate

Oral	LD50	8000 mg/kg (rat)
Dermal	LD50	20000 mg/kg (rabbit)

80-62-6 methyl methacrylate

Oral	LD50	7872 mg/kg (rat)
------	------	------------------

112-92-5 octadecan-1-ol

Oral	LD50	20000 mg/kg (rat)
------	------	-------------------

108-10-1 4-methylpentan-2-one

Oral	LD50	2080 mg/kg (rat)
Dermal	LD50	16000 mg/kg (rab)
Inhalative	LC50/4 h	8,3-16,6 mg/l (rat)

78-93-3 butanone

Oral	LD50	3300 mg/kg (rat)
Dermal	LD50	5000 mg/kg (rabbit)

- **Primary irritant effect:**
- **on the skin:** Irritating effect possible
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.

- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

- **Toxicokinetics, metabolism and distribution** Not available
- **Acute effects (acute toxicity, irritation and corrosivity)** Not available
- **Repeated dose toxicity** Not available

(Contd. on page 6)

Safety Data Sheet

Printing date 01.11.2007

Revision: 31.10.2007

Trade name: black leads for mechanical pencils

(Contd. of page 5)

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Not available

12 Ecological information

- Information about elimination (persistence and degradability): Not available
- Behaviour in environmental systems:
- Mobility and bioaccumulation potential: Not available
- Ecotoxical effects:
- Aquatic toxicity: Not available
- General notes:
- Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- PBT assessments Not available

13 Disposal considerations

- Product:
- Recommendation
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information

- Land transport ADR/RID (cross-border)
- ADR/RID class: -
- Danger code (Kemler): -
- UN-Number: -
- Hazard label: -
- Description of goods:
- Limited quantities (LQ) -
- Transport category -
- Tunnel restriction code -

- Maritime transport IMDG:
- IMDG Class: -
- UN Number: -
- Label -
- Packaging group: -
- EMS Number: -
- Marine pollutant: Yes
- Proper shipping name: -

- Air transport ICAO-TI and IATA-DGR:
- ICAO/IATA Class: -
- UN/ID Number: -
- Label -
- Packaging group: -
- Proper shipping name: -

15 Regulatory information

- Sara
- Section 355(extremely hazardous substances):
- None of the ingredients is listed.

(Contd. on page 7)

Safety Data Sheet

Printing date 01.11.2007

Revision: 31.10.2007

Trade name: black leads for mechanical pencils

(Contd. of page 6)

Section 313(Specific toxic chemical listings):

108-10-1	4-methylpentan-2-one
80-62-6	methyl methacrylate
78-93-3	butanone
84-74-2	dibutyl phthalate

TSCA(Toxic Substances Control Act):

7782-42-5	Graphite
108-10-1	4-methylpentan-2-one
80-62-6	methyl methacrylate
78-93-3	butanone
84-74-2	dibutyl phthalate
8012-95-1	Paraffin oils
112-92-5	octadecan-1-ol
25168-24-5	bis(2-ethylhexyloxycarbonbonylmethyl-thio)dibutylstannane

Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

84-74-2 dibutyl phthalate

Chemicals known to cause reproductive toxicity for males:

84-74-2 dibutyl phthalate

Chemicals known to cause developmental toxicity:

84-74-2 dibutyl phthalate

Cancerogenity categories

EPA(Environmental Protection Agency)

80-62-6	methyl methacrylate	E;NL
78-93-3	butanone	D
84-74-2	dibutyl phthalate	D

IARC(International Agency for Research on Cancer)

9003-22-9	vinyl chloride - vinyl acetate copolymer	3
80-62-6	methyl methacrylate	3

NTP(National Toxicology Program)

None of the ingredients is listed.

TLV(Threshold Limit Value established by ACGIH)

80-62-6	methyl methacrylate	A4
---------	---------------------	----

NIOSH-Ca(National Institute for Occupational Safety and Health)

None of the ingredients is listed.

OSHA-Ca(Occupational Safety & Health Administration)

None of the ingredients is listed.

Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

Code letter and hazard designation of product:

T Toxic

Risk phrases:

- 61 May cause harm to the unborn child.
- 36 Irritating to eyes.
- 43 May cause sensitisation by skin contact.
- 62 Possible risk of impaired fertility.

(Contd. on page 8)

Safety Data Sheet

Printing date 01.11.2007

Revision: 31.10.2007

Trade name: black leads for mechanical pencils

(Contd. of page 7)

Safety phrases:

- 53 Avoid exposure - obtain special instructions before use.
- 1/2 Keep locked up and out of the reach of children.
- 24/25 Avoid contact with skin and eyes.
- 29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.
- 37 Wear suitable gloves.
- 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

16 Other information

Relevant R-phrases

- 11 Highly flammable.
- 20 Harmful by inhalation.
- 36 Irritating to eyes.
- 36/37 Irritating to eyes and respiratory system.
- 37/38 Irritating to respiratory system and skin.
- 43 May cause sensitisation by skin contact.
- 50 Very toxic to aquatic organisms.
- 61 May cause harm to the unborn child.
- 62 Possible risk of impaired fertility.
- 66 Repeated exposure may cause skin dryness or cracking.
- 67 Vapours may cause drowsiness and dizziness.

The contents and format of this MSDS/SDS are in accordance with REGULATION (EC) No 1907/2006, EU Commission Directive 1999/45/EC, 67/548/EEC.

DISCLAIMER OF LIABILITY

The information in this MSDS/SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS/SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS/SDS information may not be applicable.

End of document

EU