

MSDS(2)
MATERIAL SAFETY DATA SHEET

PRODUCERS
SUPPLIERS
WAREHOUSERS

X

Ball Pen Ink

0239 PG3 black

704093

704177

704100

704198

QUICK IDENTIFIER(2)

SECTION I - GENERAL INFORMATION

MANUFACTURER NAME: Dokumental GmbH & Co. KG Schreibfarben

Factory Ludwigshafen
Wöllnerstraße 26, D-67065 Ludwigshafen
Telephone: +49-621-5402-322
Telefax: +49-621-5402-422 (or -394)
e-mail: h.polzin@dokumental.de

Factory Mittenwald
Innsbrucker Str. 35, D-82481 Mittenwald
Telephone: +49-8823-9202-0
Telefax: +49-8823-3820

Date: 02.06.03 Prepared by Dr. Polzin (Factory Ludwigshafen)

SECTION II - HAZARDOUS INGREDIENTS(3) (Specify components)

CAS-no.	substance	conc. range %	classification(4)(European Union)
100-51-6	benzyl alcohol	10 - 25	Xn 20/22
000122-93-6	2-Phenoxyethanol	25 - 50	Xn 22-36

Transport Info: UN-No.: n.a. Prop. Shipping Name: No Dangerous Goods

IMDG-CODE: Class: n.a. MFAG: n.a. EMS No.: n.a.

ICAO/IATA Class: n.a. Packaging Group: n.a.

SECTION III PHYS./CHEM. CHARACTERISTICS (SPECIFY COMPONENT)

Appearance: liquid Odor: typical

Boiling Point (°C): 100	Density (g/ml):	1.12 +/-
Vapor Density (Air = 1): > 1	Melting Point (°C):	< 0
Solubility in Water: insoluble	Evaporation Rate (Butylacetate= 1)	> 1
Pressurized: yes ☐ no ☒	% Volatiles(4)	49

Other Characteristics: mixture of polyhydric alcohols, dye
stuffs, resin, and additives

SECTION IV - FIRE AND EXPLOSION HAZARDS

Flashp. °C (Method used): > 100 Explosion Limits (Vol%): LEL 1.3 UEL 13.

Extinguishing Media: alcohol resistant foam, CO₂, powders, water spray

Special Fire Fighting Precautions: cool containers exposed to fire with water

do not use waterjet

Autoignition temperature (°C): 200

List of Hazardous Decomp. Products: carbon monoxide and dioxide, smoke, and oxides
of nitroge

Other Advice: none

SECTION V - STORAGE HAZARDS

Stability: Unstable: | Stable: ☒ Conditions to Avoid: avoid heating above 60°C

Incompatibility (Material to avoid): concentrated oxidizing or reducing agents

Hazardous Decomposition Products: no hazardous decomposition products known

Hazardous Polymerisation May Occur

Will Not Occur

☒

Conditions To Avoid: none

SECTION VI - HEALTH HAZARDS

Signs and Symptoms of Overexposure(s): not known

Medical Cond. Generally Aggravated: n.d.

Chem. Listed as Carcinogenes: none of the used chemicals are known to be carcinogenes

Emergency and First Aid Procedures

Routes of Entry	First Aid Procedures	Seek Medical Advice
Inhalation	remove for fresh air, keep patient warm an at rest: if breathing is irregular or stopped, administer artificial respiration If unconscious place in recovery position and seek for medical advice	☐
Eyes	rinse with plenty of clean and fresh water in case of remaining irritation seek for medical advice	☒
Skin	remove moistened clothing, wash with soap and water, do not use solvents or thinners !!	☐
Ingestion	if accidentally swallowed obtain immediate medical attention. Keep at rest Do not induce vomating	☒

SECTION VII - SPECIAL PRECAUTIONS

Special Precautions to be Taken in Handling: keep containers tightly closed,
protect drums from the influence of weather.

Other Precautions: product should not get untreated into waters

Steps to be Taken in Case Material is Released or Spilled: absorb with appropriate
liquid binding material and dispose of according to local regulations

Waste Disposal Methods: burn in a licensed incinerator, treat in a biological
clarification plant: product may not get untreated into waters

SECTION VIII - SPECIAL PROTECTION INFORMATION/CONTROL MEASURES

Respiratory Protection: not necessary, good room ventilation is sufficient

Ventilation: Local Exhaust: Mechanical: not necessary Other:

Skin and Eye Protection: rubber or plastic gloves, protective glasses

Work/Hygenic Practices: pay attention to the usual rules for handling chemicals

Note: The information given in this MSDS is based on our present state of knowledge
and is no assurance of properties of our products. Existing laws and
regulations have to be obeyed by the purchaser himself. The product shall not
be used for purposes other than it is assigned for without the consent of the
producer.

Important: (1) Do not leave any blank spaces. If required information is unavailable,
unknown, or does not apply, so indicate as follows: n.a. = not applicable
n.d. = not determined
n.n. = not necessary

- (2) Product type and common name (used on label and list).
- (3) Cited in any national regulations on the classification, packaging
and labelling of dangerous substances, preparations, paints,
varnishes, printing inks, and similar similar product.
- (4) Part of the mixture which evaporates.
- (5) LD₅₀ shall be noted if known
- (6) Health hazard by ingestion and inhalation
shall be noted if known.
- (7) Calculated from the components
- (8) T - toxic
Xn - harmful if swallowed
Xi - irritant
C - corrosive
F - flammable

MSDS(2)
MATERIAL SAFETY DATA SHEET

PRODUCERS
SUPPLIERS
WAREHOUSERS

X

600 B violet blue

QUICK IDENTIFIER(2)

SECTION I - GENERAL INFORMATION

MANUFACTURER NAME: Dokumental GmbH & Co. Schreibfarben

Factory Ludwigshafen

Woellnerstraße 26, D-67065 Ludwigshafen

Telephone: +49-621-5402-322

Telefax : +49-621-5402-422 (or -394)

e-mail : b.polzin@dokumental.de

Factory Mittenwald

Innsbrucker Str. 35, D-82481 Mittenwald

Telephone: +49-8823-9202-0

Telefax : +49-8823-3820

Date: 02.12.02

Prepared by Dr. Polzin (Factory Ludwigshafen)

SECTION II - HAZARDOUS INGREDIENTS(3)

(Specify components)

CAS-no.	substance	conc. range %	classification(4)(European Union)
100-51-6	benzyl alcohol	2.5 - 10	Xn 20/22
107-41-5	2-methylpentane-2,4-diol	2.5 - 10	Xi 36/38
6786-83-0	CI Solvent Blue 4	2.5 - 10	Xn 22
000122-99-6	2-Phenoxyethanol	25 - 50	Xn 22-36
52080-58-7	CI Solvent Violet 8	2.5 - 10	Xn 22-36-40

ASTM D-4236: The bulk ink conforms with ASTM D-4236, "HL No Labelling Required".

According to ASTM D-4236 the complete writing instrument needs separate approval.

Transport Info: UN-No.: n.a. Prop. Shipping Name: No Dangerous Goods

IMDG-CODE Class: n.a. MFAG: n.a. EMS No.: n.a.

ICAO/IATA Class: n.a. Packaging Group: n.a.

SECTION III PHYS./CHEM. CHARACTERISTICS (SPECIFY COMPONENT)

Appearance: liquid

Odor: typical

Boiling Point (°C): 100

Density (g/ml):

1.12 +/- 0.01

Vapor Density (Air = 1): > 1

Melting Point (°C):

< 0

Solubility in Water: insoluble

Evaporation Rate (Butylacetate= 1) > 1

Pressurized:

yes

no

X

% Volatile(4)

47

Other Characteristics: mixture of polyhydric alcohols, dye

stuffs, resin, and additives

SECTION IV - FIRE AND EXPLOSION HAZARDS

Extinguishing Media: alcohol resistant foam, CO₂, powders, water spray

Special Fire Fighting Precautions: cool containers exposed to fire with water

do not use waterjet

Autoignition temperature (°C): 200

List of Hazardous Decomp. Products: carbon monoxide and dioxide, smoke, and oxides
of nitrogene

Other Advice: none

SECTION V - STORAGE HAZARDS

Stability: Unstable: ☐ Stable: ☒ Conditions to Avoid: avoid heating above 60°C

Incompatibility (Material to avoid): concentrated oxidizing or reducing agents

Hazardous Decomposition Products: no hazardous decomposition products known

Hazardous Polymerisation May Occur ☐ Will Not Occur ☒

Conditions To Avoid: none

SECTION VI - HEALTH HAZARDS

1. Acute(5): 1500 mg/kg (7) 2. Chronic(5) n.d.

Signs and Symptoms of Overexposure(6): not known

Medical Cond. Generally Aggravated: n.d.

Chem. Listed as Carcinogenes: none of the used chemicals are known to be carcinogenes

Emergency and First Aid Procedures

Routes of Entry	First Aid Procedures	Seek Medical Advice
Inhalation	remove for fresh air, keep patient warm and at rest; if breathing is irregular or stopped, administer artificial respiration. If unconscious place in recovery position and seek for medical advice	☐
Eyes	rinse with plenty of clean and fresh water in case of remaining irritation seek for medical advice	☒
Skin	remove moistened clothing, wash with soap and water, do not use solvents or thinners !!	☐
Ingestion	if accidentally swallowed obtain immediate medical attention. Keep at rest. Do not induce vomating	☒

SECTION VII - SPECIAL PRECAUTIONS

Special Precautions to be Taken in Handling: keep containers tightly closed, protect drums from the influence of weather.

Other Precautions: product should not get untreated into waters

Steps to be Taken in Case Material is Released or Spilled: absorb with appropriate liquid binding material and dispose of according to local regulations

Waste Disposal Methods: burn in a licensed incinerator, treat in a biological clarification plant; product may not get untreated into waters

SECTION VIII - SPECIAL PROTECTION INFORMATION/CONTROL MEASURES

Respiratory Protection: not necessary, good room ventilation is sufficient

Ventilation: Local Exhaust: Mechanical: not necessary Other:

Skin and Eye Protection: rubber or plastic gloves, protective glasses

Work/Hygenic Practices: pay attention to the usual rules for handling chemicals

Note: The information given in this MSDS is based on our present state of knowledge and is no assurance of properties of our products. Existing laws and regulations have to be obeyed by the purchaser himself. The product shall not be used for purposes other than it is assigned for without the consent of the producer.

Important: (1) Do not leave any blank spaces. If required information is unavailable, unknown, or does not apply, so indicate as follows: n.a. = not applicable
n.d. = not determined
n.n. = not necessary

- (2) Product type and common name (used on label and list).
- (3) Cited in any national regulations on the classification, packaging and labelling of dangerous substances, preparations, paints, varnishes, printing inks, and similar similar product.
- (4) Part of the mixture which evaporates.
- (5) LD₅₀ shall be noted if known
- (6) Health hazard by ingestion and inhalation shall be noted if known.
- (7) Calculated from the components
- (8) T - toxic
Xn - harmful if swallowed
Xi - irritant
C - corrosive
F - flammable

MSDS(2)
MATERIAL SAFETY DATA SHEET

PRODUCERS
SUPPLIERS
WAREHOUSERS

X

DOCUFLUIDAL - Ball Pen Ink

BP 246 red

QUICK IDENTIFIER(2)

SECTION I - GENERAL INFORMATION

MANUFACTURER NAME: Dokumental GmbH & Co. Schreibfarben

Factory Ludwigshafen
Voellnerstraße 26, D-67065 Ludwigshafen
Telephone: +49-621-5402-322
Telefax : +49-621-5402-422 (or -394)
E-mail : b.polzin@dokumental.de

Factory Mittenwald
Innsbrucker Str. 35, D-82481 Mittenwald
Telephone: +49-8823-9202-0
Telefax : +49-8823-3820

Date: 07.02.02 Prepared by Dr. Polzin (Factory Ludwigshafen)

SECTION II - HAZARDOUS INGREDIENTS(3)

(Specify components)

CAS-no.	substance	conc. range %	classification(6)(European Union)
989-38-8	Basic Red 1	2.5 - 10	Xn 22
000495-54-5	CI Solvent Orange 3	< 2.5	Xn 22
000122-99-6	2-Phenoxyethanol	25 - 50	Xn 22-36
110-63-4	Butan-1,4-diol	10 - 25	Xn 22

Transport Info: UN-No.: n.a. Prop. Shipping Name: No Dangerous Goods

IMDG-CODE Class: n.a. MFAG: n.a. EMS No.: n.a.

ICAO/IATA Class: n.a. Packaging Group: n.a.

SECTION III PHYS./CHEM. CHARACTERISTICS (SPECIFY COMPONENT)

Appearance: liquid

Odor: typical

Boiling Point (°C): 100

Density (g/ml):

1.118

Vapor Density (Air = 1): > 1

Melting Point (°C):

< 0

Solubility in Water: insoluble

Evaporation Rate (Butylacetate= 1)

> 1

Pressurized:

yes

no

X

% Volatile(4)

54

Other Characteristics: mixture of polyhydric alcohols, dye

stuffs, resin, and additives

SECTION IV - FIRE AND EXPLOSION HAZARDS

Flashp.°C (Method used): > 100

Explosion Limits (Vol%)

LEL 1.8

UEL 15.

Extinguishing Media: alcohol resistant foam, CO₂, powders, water spray

Special Fire Fighting Precautions: cool containers exposed to fire with water
do not use waterjet Autoignition temperature (°C): 200
List of Hazardous Decomp. Products: carbon monoxide and dioxide, smoke, and oxides
of nitrogene

Other Advice: none

SECTION V - STORAGE HAZARDS

Stability: Unstable: Stable: ☒ Conditions to Avoid: avoid heating above 60°C

Incompatibility (Material to avoid): concentrated oxidizing or reducing agents

Hazardous Decomposition Products: no hazardous decomposition products known

Hazardous Polymerisation May Occur Will Not Occur ☒

Conditions To Avoid: none

SECTION VI - HEALTH HAZARDS

Signs and Symptoms of Overexposure(s): not known

Medical Cond. Generally Aggravated: n.d.

Chem. Listed as Carcinogenes: none of the used chemicals are known to be carcinogenes

Emergency and First Aid Procedures

Routes of Entry	First Aid Procedures	Seek Medical Advice
Inhalation	remove for fresh air, keep patient warm an at rest; if breathing is irregular or stopped, administer artificial respiration If unconscious place in recovery position and seek for medical advice	☐
Eyes	rinse with plenty of clean and fresh water in case of remaining irritation seek for medical advice	☒
Skin	remove moistened clothing, wash with soap and water, do not use solvents or thinners !!	☐
Ingestion	if accidentally swallowed obtain immediate medical attention. Keep at rest Do not induce vomating	☒

SECTION VII - SPECIAL PRECAUTIONS

Special Precautions to be Taken in Handling: keep containers tightly closed.

protect drums from the influence of weather.

Other Precautions: product should not get untreated into waters

Steps to be Taken in Case Material is Released or Spilled: absorb with appropriate

liquid binding material and dispose of according to local regulations

Waste Disposal Methods: burn in a licensed incinerator, treat in a biological

clarification plant; product may not get untreated into waters

SECTION VIII - SPECIAL PROTECTION INFORMATION/CONTROL MEASURES

Respiratory Protection: not necessary, good room ventilation is sufficient

Ventilation: Local Exhaust: Mechanical: not necessary Other:

Skin and Eye Protection: rubber or plastic gloves, protective glasses

Work/Hygenic Practices: pay attention to the usual rules for handling chemicals

Note: The information given in this MSDS is based on our present state of knowledge and is no assurance of properties of our products. Existing laws and regulations have to be obeyed by the purchaser himself. The product shall not be used for purposes other than it is assigned for without the consent of the producer.

Important: (1) Do not leave any blank spaces. If required information is unavailable, unknown, or does not apply, so indicate as follows: n.a. = not applicable
n.d. = not determined
n.n. = not necessary

- (2) Product type and common name (used on label and list).
- (3) Cited in any national regulations on the classification, packaging and labelling of dangerous substances, preparations, paints, varnishes, printing inks, and similar similar product.
- (4) Part of the mixture which evaporates.
- (5) LD₅₀ shall be noted if known
- (6) Health hazard by ingestion and inhalation shall be noted if known.
- (7) Calculated from the components
- (8) T - toxic
Xn - harmful if swallowed
Xi - irritant
C - corrosive
F - flammable