

Material Safety Data Sheet

Identity		CORRECTION TAPE J/R No. 25		T-1562E		
SECTION I						
Manufacturer's Name		Emergency Telephone Number				
FUJICOPIAN CO., LTD.		(06) 6473-7071				
Address		Telephone Number for Information				
4-14, Mitejima 5-chome, Nishi yodogawa-ku, Osaka 555-0012, Japan		(06) 6473-7071				
		Date Prepared				
		Jan. 14, 2006				
SECTION II - Hazardous Ingredients/Identity Information						
Hazardous Components	CAS. No.	ACGIH TLV	OSHA PEL	EEC	Other Limits	%
Titanium dioxide	13463-67-7	10.0mg/m3	15.0mg/m3	N/A	N/A	28
Magnesite	546-93-0	10.0mg/m3	15.0mg/m3	N/A	N/A	16
Silica SiO2	7631-86-9	20.0mppcf	20.0mppcf	N/A	N/A	2
Predominant Component						
Coloring Material		Not Applicable				
Resin						
Additive						
Polyethyleneterephthalate film						
Impurity						
None						
SECTION III - Hazardous Information						
Appearance and Odor						
Polyethyleneterephthalate film coated on one side there of with white ink.						
Incompatibility (Material to Avoid)						
None						
Hazardous Decomposition or Byproducts						
None						
Fire and Explosion Hazardes						
None						
Health Hazards						
Health hazard risks would be extremely small.						
Information on Ecological Effect						
No data available						
UN-category		UN-number				
Not applicable		Not applicable				

SECTION IV - Emergency and First Aid Procedures		J-1562E
Health Hazards (Acute and Chronic) Acute Oral : LD50>2,000mg/kg (MICE) Primary Skin Irritation : Nonirritant Skin Reaction : Nonirritant		
Signs and Symptoms of Exposure No data available		
Medical Conditions Generally Aggravated by Exposure No data available		
Emergency and First Aid Procedures SKIN : Wash away ink on skin. EYE : Wash with water and consult a doctor promptly. INHALATION : Not applicable OTHERS : No data available		
SECTION V - Emergency Action in case of Fire		
Extinguishing Media Water mist, Foam, Dry powder, CO2 gas, others		
Special Fire Fighting Procedures N/A		
Unusual Fire and Explosion Hazards None		
SECTION VI - Precautions for Safe Handling and Use		
Steps to Be Taken in Case Material is Released or Spilled If inadvertently released, rewind ribbon.		
Precautions to Be Taken in Handling and Storing Should be stored in dark and cool place.		
Other Precautions None		
SECTION VII - Control Measures		
Respiratory Protection (Specify Type) None		
Ventilation	Local Exhaust N/A	Special N/A
	Mechanical(General) N/A	Other N/A
Eye Protection N/A		Hand Protection Desirable in some cases.
Other Protective Clothing or Equipment N/A		
Work/Hygienic Practices None		

SECTION VIII - Physical/Chemical Characteristics			T-1562E
Boiling Point N/A		Melting point - N/A	
PH value N/A		Specific Gravity N/A	
Viscosity N/A		Vapor pressure N/A	
Solubility in Water Negligible			
SECTION IX - Fire and Explosion Hazard Data			
Flash Point >150°C		Ignition Temperature N/A	
Flammable Limits	LEL : N/A	UEL : N/A	
SECTION X - Reactivity Data			
Stability	Unstable		Condition to Avoid N/A
	Stable	x	
Hazardous Polymerization	May Occur		Condition to Avoid N/A
	Will Not Occur	x	
SECTION XI - Toxicology Information			
Ames Test : Negative			
SECTION XII - Transport Information			
No special			
SECTION XIII - Waste Disposal Information			
Waste Disposal Method Disposal in accordance with local, state and federal regulations.			
SECTION XIV - Labeling			
Danger Category None			
R/S Phrases unnecessary			

FUJICOPIAN CO., LTD.

A. Yamakita

AKIYOSHI YAMAKITA

GROUP LEADER
QUALITY ASSURANCE GROUP