

MSDS Material Safety Data Sheet

Colorlabs Enterprises, LLC.



Postal Fluorescent Red Ink

MSDS Number: CL FR A50

December 3, 2004

Page 1 of 3

1 PRODUCT AND COMPANY IDENTIFICATION

Product Name: Postal Fluorescent Red Ink
Product Type: Fluorescent Red Ink
Product Use: MRP7650 & MRP7653
Revisions: Changes to accommodate format change in December of 2004

Manufacturer: **Colorlabs Enterprises, LLC.**
8102 Deering Avenue
Canoga Park, CA 91304

Contact: Bill Zullo
Tel: (818) 961-0127
Fax: (818) 961-0136
E-Mail: bzullo@colorlabs.com
Web: www.colorlabs.com

2 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Concentration	C.A.S. #
Water	70 – 90%	7732-18-5
Dye Azo and xanthane	< 10%	Confidential
Diethylene Glycol	<10.0%	111-46-6
Ethoxylateddiol	<1.0%	Confidential

3 HAZARDS IDENTIFICATION

HMIS: Healthy -1, Fire - 0, Reactivity - 0
Inhalation Health Risks: None known
Skin and Eye Contact: May cause irritation
Ingestion Health Risks and Symptoms of Exposure: May cause gastrointestinal irritation, vomiting, nausea, and diarrhea
Acute Health Hazards: Moderate eye and skin irritation
Medical Conditions Generally Aggravated by Exposure: None known or determined for the product
Chronic Health Hazards: None known or determined for the product
Carcinogenicity: Product not tested

MSDS Material Safety Data Sheet

Colorlabs Enterprises, LLC.



Postal Fluorescent Red Ink

MSDS Number: CL FR A50

December 3, 2004

Page 2 of 3

4 FIRST AID MEASURES

Emergency and First Aid Procedures:

In case of eye contact: Flush with water for at least 15 minutes. Seek medical attention if irritation persists.

In case of skin contact: Wash with soap and water

If swallowed: Do not induce vomiting. Call a doctor and contact local poison control center immediately.

If mist is inhaled: Remove victim to fresh air.

5 FIRE AND EXPLOSION HAZARD OF MATERIAL

Flammability - If yes, under which conditions	None
Means of Extinction	NA
Specific Procedures	NA
Flash Point (C) and Method	NA
Upper Explosion Limit (% by volume)	NA
Lower Explosion Limit (% by volume)	NA
Auto Ignition Temperature (C)	NA
Hazardous Combustion Products	NA
Explosion Data - Sensitivity to Mechanical Impact	NA
- Sensitivity to Static Discharge	NA

6 ACCIDENTAL RELEASE MEASURES

In case of accidental release, ink should be absorbed with absorbent material and scooped into container for disposal. Rinse area with water.

7 HANDLING AND STORAGE

Storage should be at standard room temperature (68 degrees Fahrenheit). Store away from extreme heat and extreme exposure to light. Keep container closed and stored away from traffic.

8 PERSONAL PROTECTION

Eye Protection: Safety glasses with side-shields; with an eyewash station available

Respiratory Protection: Not required

Ventilation: Mechanical

Skin: Disposable gloves

Other protective equipment or clothing: impervious clothing where skin contact is unavoidable

Avoid contamination of food, drink, etc. No smoking when handling.

MSDS Material Safety Data Sheet

Colorlabs Enterprises, LLC.



Postal Fluorescent Red Ink

MSDS Number: CL FR A50

December 3, 2004

Page 3 of 3

9 PHYSICAL DATA

Physical State: liquid
Odor and appearance: odorless red
Specific Gravity: 1.00 – 1.10 (water = 1)

10 REACTIVITY DATA

Chemically stable: yes
Incompatibility with other chemicals: none known
Reactivity and under what conditions: no
Hazardous decompositions: none known

11 TOXICOLOGICAL PROPERTIES OF MATERIAL

Effects of acute exposure to material: may cause skin and eye irritation
Exposure limit(s): none established

12 ECOLOGICAL

No information available for this product

13 DISPOSAL INFORMATION

Dispose of in accordance with local, state, federal, environmental regulations

14 TRANSPORTATION

D.O.T. shipping name: not regulated